

21 North Main Street • Waterbury, Vermont 05676 Phone: (802) 917-2001 • www.leenv.net

January 13, 2022

Kimberly Caldwell, Environmental Analyst Department of Environmental Conservation 1 National Life Drive, Main 2 Montpelier, VT 05620-3520

Re: Partial Corrective Action Completion: 1705 Route 128, Westford, VT

Dear Kimberly,

This letter summarizes the partial completion of Corrective Action at the Pigeon Property Site, located at 1705 Route 128 in Westford, Vermont. Work was completed in accordance with the Corrective Action Plan (CAP) dated July 9, 2021, which was approved by the Vermont Department of Environmental Conservation on September 28, 2021.

The remediation plan specified in the CAP called for the removal of grossly contaminated soil in the vicinity of a previously removed gasoline underground storage tank (UST), which was found to be in failed condition with petroleum contaminated soil and groundwater evident in the vicinity of the removal UST.

Excavation of the petroleum contaminated soils was performed by US Ecology of Williston, Vermont, under the oversight of LE Environmental LLC (LEE). Excavation occurred on November 8-9, 2021, and the dimensions of the excavation were approximately 15' x 20' x 6'. The contaminated soil was placed on and covered with polyethylene sheeting during temporary staging. Two characterization soil samples were obtained from the excavated soils for facility acceptance. The soils were submitted to Eastern Analytical Inc (EAI) of Concord, New Hampshire for analysis of: Volatile Organic Compounds (VOCs) via EPA Method 8260C, Semi-Volatile Organic Compounds (SVOCs) via EPA Method 8270D, RCRA 8 Metals (total and TCLP Extraction via EPA Method 1311), PCBs via EPA Method 8082 with Soxhlet extraction via EPA Method 3540C, Ignitibility (solids) via Method 1010A, pH via EPA Method 9045D, Herbicides via EPA Method 8151A, Pesticides via EPA Method 8081, Total Petroleum Hydrocarbons (TPH) via EPA Method 8100 and 8015 GRO, and Reactivity (Cn/S) via SW-846 9014 and 9030A. PID readings in soils ranged from 349.5-590.7 parts per million (ppm) in the characterization samples. Photographs of the excavation are attached.

Confirmation soil samples were obtained from each sidewall and the bottom of the excavation. The soil samples were submitted to EAI for laboratory analysis of VOCs via EPA Method 8260. A duplicate soil sample was also obtained, for a total of six laboratory analytical soil samples. PID readings obtained from the sidewalls of the excavation ranged from 114.3-1,238 ppm. The soil sample from the bottom of the excavation (and duplicate)



contained concentrations of benzene, ethylbenzene, xylenes (in duplicate), trimethylbenzenes, and naphthalene in excess of residential soil standards. The soil sample obtained from the southern sidewall concentrations of benzene, toluene, ethylbenzene, xylenes trimethylbenzenes, and naphthalene in excess of residential soil standards. The soil sample obtained from the eastern sidewall contained concentrations of ethylbenzene and naphthalene in excess of residential soil standards. No contaminant concentrations exceeded residential standards in the samples obtained from the north and west sidewalls.

A total of 81.06 tons of contaminated soils was transported to Clean Earth in Fort Edward, New York for disposal on December 10, 2021 in three separate trucks. Copies of the Bills of Lading are attached to this letter.

Despite two previous geophysical investigations to locate USTs in the exploration area, a previously unidentified steel UST was found on the southernmost side of the excavation on November 8, 2021. The UST is estimated to be an approximately 1,000-gallon capacity gasoline UST. The UST is within the right-of-way for Route 128 and extends into the historically archaeologically sensitive area of the property and cannot be removed until spring-time conditions. Once this UST is removed, the remaining tasks in the CAP will also be completed, including monitoring well replacement and additional groundwater sampling.


Please let me know if you have any questions or additional comments.

Sincerely,

Angela Emerson, PG Senior Geologist

Attachments:
Site Location Map
Area of Excavation Map
Photographs
Soil Sampling Summary
Laboratory Analytical Reports
Bills of Lading

Attachments







21 North Main Street Unit #1 Waterbury, Vermont Phone: 802-917-2001 www.leenv.net

Excavation of Contaminated Soil Plan Pigeon Property 1705 Route 128 Westford, Vermont

Previous Soil Boring Existing Monitoring Well

Existing Gasoline UST ■ Proposed Excavation Historically Sensitive Area

Drawing Date: 1/13/22 LEE Project #: 19-138

Photographic Documentation Phase II Environmental Site Assessment 1705 Route 128 Westford, Vermont LEE #19-138



Photograph ID: 001

Date: November 8, 2021

Comments:

Area pre-marked for DigSafe



Photograph ID: 002

Date: November 8, 2021

Comments:

Soil excavation with abandoned UST



Photographic Documentation Phase II Environmental Site Assessment 1705 Route 128 Westford, Vermont LEE #19-138



Photograph ID: 003

Date: November 9, 2021

Comments:

Contaminated soil pile



Photograph ID: 004

Date: November 9, 2021

Comments:

Completed soil excavation area



Petroleum Contaminated Soil Removal **Pigeon Property** Westford, Vermont Soil Data Summary Page 1 of 2



				Page 1 of	2					
Sample Identification	North	South	East	West	Bottom	Duplicate	EPA		VSS	VSS Non-
Sample Depth (ft. bg)	3	3.5	3	3	6	6	Residential	EPA Industrial	Residential	Residential
PID Reading (ppm)	279	1,238	753.3	114.3	572.9	579.2	RSL (mg/kg)	RSL (mg/kg)	(mg/kg)	
Sample Date	11/8/21	11/8/21	11/8/21	11/8/21	11/8/21	11/8/21	KSL (mg/kg)		(mg/kg)	(mg/kg)
VOCs, EPA Method 8260C (mg/kg)										
Dichlorodifluoromethane	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2	87	370	-	-
Chloromethane	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2	110	460	-	-
Vinyl Chloride	ND<0.02	ND<2	ND<0.03	ND<0.02	ND<0.4	ND<0.4	-	-	0.10	0.59
Bromomethane	ND<0.2	ND<10	ND<2	ND<0.2	ND<2	ND<2	6.8	30	-	-
Chloroethane (ethyl chloride)	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2	14,000	57,000	-	-
Trichlorofluoromethane	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2	23,000	350,000	-	-
Diethyl Ether	ND<0.05	ND<5	ND<0.08	ND<0.05	ND<0.9	ND<0.9	-	-	-	-
Acetone	ND<2	ND<200	ND<30	ND<2	ND<40	ND<40	-	-	40,609	100,028
1,1-Dichloroethene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	230	1,000	-	-
Methylene chloride	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2	57	1,000	-	-
Carbon disulfide	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2		_	608	662
MTBE	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2		-	649	4.464
trans-1,2-Dichloroethene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1		-	1.402	18,137
1,1-Dichloroethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	2.1	13
2.2-Dichloropropane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-		
cis-1,2-Dichloroethene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	140	1,814
2-Butanone (MEK)	ND<0.5	ND<50	ND<8	ND<0.5	ND<9	ND<10	-	-	16.952	26,991
Bromochloromethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	193	597
Tetrahydrofuran(THF)	ND<0.5	ND<50	ND<8	ND<0.5	ND<9	ND<10	-	-	-	-
Chloroform	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	0.32	1.4	-	-
1,1,1-Trichloroethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	8,100	36,000	-	-
Carbon tetrachloride	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	0.37	2.2
1,1-Dichloropropene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	-	-
Benzene	ND<0.05	190	ND<0.8	ND<0.05	3.0	4.3	-	-	0.70	4.2
1,2-Dichloroethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	0.29	1.7
Trichloroethene (TCE)	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	_	0.68	6.5
1.2-Dichloropropane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	1.5	9.1
Dibromomethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	24	99	-	
Bromodichloromethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	0.29	1.3	-	-
4-Methyl-2-pentanone(MIBK)	ND<0.5	ND<50	ND<8	ND<0.5	ND<9	ND<10	33,000	140,000	_	_
cis-1,3-Dichloropropene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1.8	8.2	_	_
Toluene	ND<0.05	900	2.3	0.087	36	69		-	706	798
trans-1,3-Dichloropropene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1.8	8.2	-	-
1,1,2-Trichloroethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1.1	5	-	-
2-Hexanone	ND<0.1	ND<10	ND<2	ND<0.1	ND<2	ND<2	200	1,300	-	-
Tetrachloroethene (PCE)	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	200	2,300	2.4	14
1,3-Dichloropropane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1.600	23,000	-	
Dibromochloromethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	8.3	39	_	-
1,2-Dibromoethane(EDB)	ND<0.02	ND<2	ND<0.3	ND<0.02	ND<0.4	ND<0.4	- 0.5	- 37	0.02	0.14
Chlorobenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	414	726
NOTES:	.12 .0.03	.,,,,,,	.,,,	112 -0.03	112 -0.7	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			111	720

NOTES:

Vermont Soil Standards (VSS) from July 2019 DEC I-Rule
EPA Regional Screening Levels (RSLs) from May 2020 RSL Summary Table. RSLs not included when a VSS exists.
Reported results or reporting limits equal to or in excess of residential soil thresholds are shaded.

Blank Cell=no published value (VSS) or published value not applicable (RSL)

Petroleum Contaminated Soil Removal **Pigeon Property** Westford, Vermont Soil Data Summary



				Juli Data Juli	iiiiai y					
				Page 2 of	2					
Sample Identification	North	South	East	West	Bottom	Duplicate	EPA		VSS	VSS Non-
Sample Depth (ft. bg)	3	3.5	3	3	6	6	Residential	EPA Industrial	v s s Residential	Residential
PID Reading (ppm)	279	1,238	753.3	114.3	572.9	579.2		RSL (mg/kg)		
Sample Date	11/8/21	11/8/21	11/8/21	11/8/21	11/8/21	11/8/21	RSL (mg/kg)		(mg/kg)	(mg/kg)
VOCs, EPA Method 8260C (mg/kg) (cor	ntinued)									
1,1,1,2-Tetrachloroethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	2	8.8	-	-
Ethylbenzene	0.32	240	12	0.79	39	50	-	-	3.7	22
mp-Xylene	0.86	930	71	1.50	180	200	-	-	252	257
o-Xylene	0.21	340	29	0.59	71	75	-	-	232	257
Styrene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	6,000	35,000		-
Bromoform	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	19	86		-
IsoPropylbenzene (cumene)	0.17	17	1.7	0.14	4.8	5.2	-	-	256	264
Bromobenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	290	1,800		-
1,1,2,2-Tetrachloroethane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	0.6	2.7		-
1,2,3-Trichloropropane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-	0.00311	0.07
n-Propylbenzene	0.93	61	6.0	0.72	17	19	-	-	253	261
2-Chlorotoluene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1,600	23,000	-	-
4-Chlorotoluene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1,600	23,000	-	-
1,3,5-trimethylbenzene	2.7	110	27	1.9	47	47	i	-	144*	177*
tert-Butylbenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	i	-	7,009	102,200
1,2,4-trimethylbenzene	7.7	400	68	4.8	150	120	-	-	144*	177*
sec-Butylbenzene	0.31	ND<5	ND<0.8	0.14	2.2	2	-	-	7,009	102,200
1,3-Dichlorobenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	-	-		-
1,2,3-Trimethylbenzene	1.2	86	16	1.0	35	26			144*	177*
p-Isopropyltoluene (p-cymene)	0.17	ND<5	ND<0.8	0.082	1.6	1.2	•	-	-	-
1,4-Dichlorobenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	2.6	11	-	-
1,2-Dichlorobenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1,800	9,300	-	-
n-Butylbenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	•	-	3,504	51,100
1,2-Dibromo-3-chloropropane	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	0.0053	0.064	-	-
1,2,4-Trichlorobenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	24	110	-	-
Hexachlorobutadiene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	1.2	5.3	-	-
Naphthalene	0.36	79	16	0.57	28	21	-	-	2.7	16
1,2,3-Trichlorobenzene	ND<0.05	ND<5	ND<0.8	ND<0.05	ND<0.9	ND<1	63	930	-	-
NOTEC										-

NOTES:

Vermont Soil Standards (VSS) from July 2019 DEC I-Rule

EPA Regional Screening Levels (RSLs) from May 2020 RSL Summary Table. RSLs not included when a VSS exists. Reported results or reporting limits equal to or in excess of residential soil thresholds are shaded.

Dashed Cell=no published value (VSS) or published value not applicable (RSL)

^{*} Standard for 1,3,5, 1,2,3, and 1,2,4 TMB

Eastern Analytical, Inc.

professional laboratory and drilling services

Angela Emerson LE Environmental LLC 21 North Main Street #1 Waterbury, VT 05676



Laboratory Report for:

Eastern Analytical, Inc. ID: 235126

Client Identification: Pigeon Property | 19-138

Date Received: 11/10/2021

Report revision/relssue: Revision, replaces report dated 11/22/2021.

Revision information: This report has been amended to include results for TPH-GRO per client request.

Enclosed are the analytical results per the Chain of Custody for sample(s) in the referenced project. All analyses were performed in accordance with our QA/QC Program, NELAP and other applicable state requirements. All quality control criteria was within acceptance criteria unless noted on the report pages. Results are for the exclusive use of the client named on this report and will not be released to a third party without consent.

The following information is contained within this report: Sample Conditions summary, Analytical Results/Data, Quality Control data (if requested) and copies of the Chain of Custody. This report may not be reproduced except in full, without the written approval of the laboratory.

The following standard abbreviations and conventions apply to all EAI reports:

"less than" followed by the reporting limit

> : "greater than" followed by the reporting limit

%R: % Recovery

Certifications:

Eastern Analytical, Inc. maintains certification in the following states: Connecticut (PH-0492), Maine (NH005), Massachusetts (M-NH005), New Hampshire/NELAP (1012), Rhode Island (269), Vermont (VT1012), New York (12072), West Virginia (9910C) and Alabama (41620). Please refer to our website at www.easternanalytical.com for a copy of our certificates and accredited parameters.

References:

- EPA 600/4-79-020, 1983
- Standard Methods for Examination of Water and Wastewater, 20th, 21st, 22nd & 23rd edition or noted revision year.
- Test Methods for Evaluating Solid Waste SW 846 3rd Edition including updates IVA and IVB
- Hach Water Analysis Handbook, 4th edition, 1992

If you have any questions regarding the results contained within, please feel free to contact customer service. Unless otherwise requested, we will dispose of the sample(s) 6 weeks from the sample receipt date.

We appreciate this opportunity to be of service and look forward to your continued patronage.

Sincerely,

Lorraine Olashaw, Lab Director

12.8.21

ט

SAMPLE CONDITIONS PAGE



Client: LE Environmental LLC

Temperature upon receipt (°C): 2.2

Client Designation: Pigeon Property | 19-138

Received on ice or cold packs (Yes/No): Y

EAI ID#: 235126

Acceptable temperature range (°C): 0-6

							•
Lab ID	Sample ID	Date Received	Date/1 Samp		Sample Matrix		Exceptions/Comments (other than thermal preservation)
235126.01	South	11/10/21	11/8/21	13:00	soil	77.4	Adheres to Sample Acceptance Policy
235126.02	North	11/10/21	11/8/21	13:05	soil	80.5	Adheres to Sample Acceptance Policy
235126.03	West	11/10/21	11/8/21	13:07	soil	76.1	Adheres to Sample Acceptance Policy
235126.04	East	11/10/21	11/8/21	13:12	soil	86.6	Adheres to Sample Acceptance Policy
235126.05	Bottom	11/10/21	11/8/21	13:20	soil	77.4	Adheres to Sample Acceptance Policy
235126.06	Duplicate	11/10/21	11/8/21	13:20	soil	79.9	Adheres to Sample Acceptance Policy
235126.07	CS-1	11/10/21	11/8/21	13:40	soil	83.1	Adheres to Sample Acceptance Policy
235126.08	CS-2	11/10/21	11/8/21	13:50	soil	84.1	Adheres to Sample Acceptance Policy
235126.09	Trip Blank	11/10/21	11/8/21	00:00	soil	100.0	Adheres to Sample Acceptance Policy

All results contained in this report relate only to the above listed samples.

Unless otherwise noted:

- Hold times, preservation, container types, and sample conditions adhered to EPA Protocol.
- Solid samples are reported on a dry weight basis, unless otherwise noted. pH/Corrosivity, Flashpoint, Ignitability, Paint Filter, Conductivity and Specific Gravity are always reported on an "as received" basis.
- Analysis of pH, Total Residual Chlorine, Dissolved Oxygen and Sulfite were performed at the laboratory outside of the recommended 15 minute hold time.
- Samples collected by Eastern Analytical, Inc. (EAI) were collected in accordance with approved EPA procedures.

EAI ID#: 235126

Client: LE Environmental LLC

Lab Sample ID: 235126.01 235126.02 235126.03 235126.04 Matrix: soil soil soil soil Date Sampled: 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/10/21	Sample ID:	South	North	West	East
Date Sampled: 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/11/21 <th< td=""><td>Lab Sample ID:</td><td>235126.01</td><td>235126.02</td><td>235126.03</td><td>235126.04</td></th<>	Lab Sample ID:	235126.01	235126.02	235126.03	235126.04
Date Sampled: 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/8/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 11/11/21 <th< td=""><td>Matrix:</td><td>soil</td><td>soil</td><td>soil</td><td>soil</td></th<>	Matrix:	soil	soil	soil	soil
Date Received: 11/10/21 11/10/21 11/10/21 11/10/21 11/10/21 Units: mg/kg mg/kg mg/kg mg/kg Date of Analysis: 11/15/21 11/18/21 11/11/21 11/15/21 Analyst: DGM JAK DGM DGM Method: 8260C		11/8/21	11/8/21	11/8/21	
Units: mg/kg mg/kg mg/kg mg/kg Date of Analysis: 11/15/21 11/18/21 11/11/21 11/15/21 Analyst: DGM JAK DGM DGM Method: 8260C 8260C 8260C 8260C Dilution Factor: 108 1 1 1 15 Dichlorodifluoromethane < 10	•				
Date of Analysis: 11/15/21 11/18/21 11/11/21 11/11/21 11/15/21 Analyst: DGM JAK DGM DGM Method: 8260C 8260C 8260C 8260C Dilution Factor: 108 1 1 1 15 Dichlorodifluoromethane < 10 < 0.1 < 0.1 < 2 2 Chloromethane < 0.1 < 2 < 0.2 < 0.3 < 0.1 < 2 < 0.3 < 0.3 < 0.3 < 0.3 < 0.3 < 0.3 < 0.3 < 0.3 < 0.3 < 0.3 < 0.1 < 0.1 < 0.1 < 0.1 < 0.2 < 0.3 < 0.3 < 0.1 < 0.1 < 0.1 < 0.2 < 0.2 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.2 < 0.2 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.2 < 0.8 < 0.8 < 0.0 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1					
Analyst: DGM JAK DGM DGM Method: 8260C 8260C 8260C 8260C Dilution Factor: 108 1 1 1 15 Dichlorodifluoromethane < 10					
Method: 8260C 8260C 8260C 8260C Dilution Factor: 108 1 1 15 Dichlorodifluoromethane < 10	Date of Analysis:	11/15/21	11/18/21	11/11/21	11/15/21
Dilution Factor: 108 1 1 15 Dichlorodifluoromethane < 10	Analyst:	DGM	JAK	DGM	DGM
Dilution Factor: 108 1 1 15 Dichlorodifluoromethane < 10	Method:	8260C	8260C	8260C	8260C
Chloromethane < 10 < 0.1 < 0.1 < 2 Vinyl chloride < 2		108			
Vinyl chloride < 2 < 0.02 < 0.03 Bromomethane < 10		< 10	< 0.1	< 0.1	< 2
Bromomethane < 10 < 0.1 < 0.1 < 2 Chloroethane < 10					
Chloroethane < 10 < 0.1 < 0.1 < 2 Trichlorofluoromethane < 10					
Trichlorofluoromethane < 10					
Diethyl Ether < 5					
Acetone < 200					
Methylene chloride < 10		_			
Carbon disulfide < 10			< 0.05		< 0.8
Methyl-t-butyl ether(MTBE) < 10 < 0.1 < 0.1 < 2		-			
Thought wary, out of the same					
					_
1,1-Dichloroethane < 5 < 0.05 < 0.05 < 0.8	trans-1,2-Dichloroethene				
2,2-Dichloropropane < 5 < 0.05 < 0.05 < 0.8					
cis-1,2-Dichloroethene < 5 < 0.05 < 0.05					
2-Butanone(MEK) < 50 < 0.5 < 0.5					
Bromochloromethane < 5 < 0.05 < 0.05 < 0.8					
Tetrahydrofuran(THF) < 50 < 0.5 < 0.5 < 8					
Chloroform < 5					
1,1,1-Trichloroethane < 5					
1,1-Dichloropropene < 5 < 0.05 < 0.05 < 0.8					
Benzene 190 < 0.05 < 0.05 < 0.8					
1,2-Dichloroethane < 5 < 0.05 < 0.05 < 0.8					
Trichloroethene < 5 < 0.05 < 0.05 < 0.8					
1,2-Dichloropropane < 5 < 0.05 < 0.05 < 0.8	1,2-Dichloropropane	-			
Dibromomethane < 5 < 0.05 < 0.8 Bromodichloromethane < 5					
4-Methyl-2-pentanone(MIBK) < 50 < 0.5 < 0.5 < 8					
cis-1,3-Dichloropropene < 5 < 0.05 < 0.05 < 0.8					
Toluene 900 < 0.05 0.087 2.3					
trans-1,3-Dichloropropene < 5 < 0.05 < 0.05 < 0.8					
1,1,2-Trichloroethane < 5 < 0.05 < 0.05 < 0.8					
2-Hexanone < 10 < 0.1 < 0.1 < 2 Tetrachloroethene < 5 < 0.05 < 0.05 < 0.8					
Tetrachloroethene < 5					
Dibromochloromethane < 5 < 0.05 < 0.05 < 0.8					
1,2-Dibromoethane(EDB) < 2 < 0.02 < 0.02 < 0.3					
Chlorobenzene < 5 < 0.05 < 0.05 < 0.8	Chlorobenzene	< 5			
1,1,1,2-Tetrachloroethane < 5 < 0.05 < 0.05 < 0.8					
Ethylbenzene 240 0.32 0.79 12					
mp-Xylene 930 0.86 1.5 71					
o-Xylene 340 0.21 0.59 29 Styrene <5 <0.05 <0.05 <0.8					
Bromoform < 5 < 0.05 < 0.05 < 0.8		_			

M

LABORATORY REPORT

EAI ID#: 235126

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

Sample ID:	South	North	West	East
Lab Sample ID:	235126.01	235126.02	235126.03	235126.04
Matrix:	soil	soil	soil	soil
Date Sampled: Date Received:	11/8/21 11/10/21	11/8/21 11/10/21	11/8/21 11/10/21	11/8/21 11/10/21
Units:	mg/kg	mg/kg	mg/kg	mg/kg
Date of Analysis:	11/15/21	11/18/21	11/11/21	11/15/21
Analyst: Method:	DGM 8260C	JAK 8260C	DGM 8260C	DG M 8260C
Dilution Factor:	108	1	1	15
IsoPropylbenzene	17	0.17	0.14	1.7
Bromobenzene 1,1,2,2-Tetrachloroethane	< 5 < 5	< 0.05 < 0.05	< 0.05 < 0.05	< 0.8 < 0.8
1,1,2,2-Tetrachioroetriane 1,2,3-Trichloropropane	< 5	< 0.05 < 0.05	< 0.05 < 0.05	< 0.8
n-Propylbenzene	61	0.93	0.72	6.0
2-Chlorotoluene	< 5	< 0.05	< 0.05	< 0.8
4-Chlorotoluene	< 5	< 0.05	< 0.05	< 0.8
1,3,5-Trimethylbenzene	110	2.7	1.9	27
tert-Butylbenzene	< 5	< 0.05	< 0.05	< 0.8
1,2,4-Trimethylbenzene	400	7.7	4.8	68
sec-Butylbenzene	< 5	0.31	0.14	< 0.8
1,3-Dichlorobenzene	< 5	< 0.05	< 0.05	< 0.8
1,2,3-Trimethylbenzene	86 < 5	1.2 0.17	1.0 0.082	16 < 0.8
p-Isopropyltoluene 1,4-Dichlorobenzene	< 5 < 5	< 0.05	0.082 < 0.05	< 0.8
1,2-Dichlorobenzene	< 5	< 0.05 < 0.05	< 0.05 < 0.05	< 0.8
n-Butylbenzene	< 5	< 0.05	< 0.05	< 0.8
1,2-Dibromo-3-chloropropane	< 5	< 0.05	< 0.05	< 0.8
1,2,4-Trichlorobenzene	< 5	< 0.05	< 0.05	< 0.8
Hexachlorobutadiene	< 5	< 0.05	< 0.05	< 0.8
Naphthalene	79	0.36	0.57	16
1,2,3-Trichlorobenzene	< 5	< 0.05	< 0.05	< 0.8
4-Bromofluorobenzene (surr)	105 %R	114 %R	103 %R	101 %R
1,2-Dichlorobenzene-d4 (surr)	97 %R	99 %R	111 %R	99 %R
Toluene-d8 (surr)	88 %R	98 %R	96 %R	89 %R
1,2-Dichloroethane-d4 (surr)	90 %R	98 %R	98 %R	106 %R

South, East: Reporting limits are altered due to the % solids content of the sample or the sample mass used for analysis.

Screen for low-level targets was not performed due to sample matrix.

^{1,3,5-}Trimethylbenzene exhibited recovery above acceptance limits in the Quality Control sample(s).

EAI ID#: 235126

Client: LE Environmental LLC

Sample ID:	Bottom	Duplicate	CS-1	CS-2
Lab Sample ID:	235126.05	235126.06	235126.07	235126.08
Matrix:	soil	soil	soil	soil
Date Sampled:	11/8/21	11/8/21	11/8/21	11/8/21
Date Received:	11/10/21	11/10/21	11/10/21	11/10/21
Units:	mg/kg	mg/kg	mg/kg	mg/kg
Date of Analysis:	11/15/21	11/15/21	11/18/21	11/18/21
Analyst:	DGM	DGM	JAK	JAK
Method:	8260C	8260C	8260C	8260C
Dilution Factor:	19	21	50	44
Dilution Factor:	19	21	00	-1-1
Dichlorodifluoromethane	< 2	< 2	< 5	< 4
Chloromethane	< 2	< 2	< 5	< 4
Vinyl chloride	< 0.4	< 0.4	< 1	< 0.9
Bromomethane	< 2	< 2 < 2	< 5 < 5	< 4 < 4
Chloroethane	< 2 < 2	< 2	< 5	< 4
Trichlorofluoromethane Diethyl Ether	< 0.9	< 1	< 2	< 2
Acetone	< 40	< 40	< 100	< 90
1,1-Dichloroethene	< 0.9	< 1	< 2	< 2
Methylene chloride	< 2	< 2	< 5	< 4
Carbon disulfide	< 2	< 2	< 5	< 4
Methyl-t-but y l ether(MTBE)	< 2	< 2	< 5	< 4
trans-1,2-Dichloroethene	< 0.9	< 1	< 2	< 2
1,1-Dichloroethane	< 0.9	< 1	< 2 < 2	< 2 < 2
2,2-Dichloropropane	< 0.9 < 0.9	· <1 <1	< 2	< 2
cis-1,2-Dichloroethene 2-Butanone(MEK)	< 0.9 < 9	< 10	< 20	< 20
Bromochloromethane	< 0.9	< 1	< 2	< 2
Tetrahydrofuran(THF)	< 9	< 10	< 20	< 20
Chloroform	< 0.9	< 1	< 2	< 2
1,1,1-Trichloroethane	< 0.9	< 1	< 2	< 2
Carbon tetrachloride	< 0.9	< 1	< 2	< 2
1,1-Dichloropropene	< 0.9	< 1	< 2	< 2
Benzene	3.0	4.3 < 1	17 < 2	13 < 2
1,2-Dichloroethane Trichloroethene	< 0.9 < 0.9	< 1	< 2	< 2
1,2-Dichloropropane	< 0.9	< 1	< 2	< 2
Dibromomethane	< 0.9	< 1	< 2	< 2
Bromodichloromethane	< 0.9	< 1	< 2	< 2
4-Methyl-2-pentanone(MIBK)	< 9	< 10	< 20	< 20
cis-1,3-Dichloropropene	< 0.9	< 1	< 2	< 2
Toluene	36	69	210	190
trans-1,3-Dichloropropene	< 0.9	< 1	< 2	< 2
1,1,2-Trichloroethane 2-Hexanone	< 0.9 < 2	< 1 < 2	< 2 < 5	< 2 < 4
Tetrachloroethene	< 0.9	< 1	< 2	< 2
1,3-Dichloropropane	< 0.9	< 1	< 2	< 2
Dibromochloromethane	< 0.9	< 1	< 2	< 2
1,2-Dibromoethane(EDB)	< 0.4	< 0.4	< 1	< 0.9
Chlorobenzene	< 0.9	< 1	< 2	< 2
1,1,1,2-Tetrachloroethane	< 0.9	< 1	< 2	< 2
Ethylbenzene	39	50	87	85
mp-Xylene	180	200	340 120	420 170
o-Xylene Styrene	71 < 0.9	75 < 1	1 30 < 2	170 < 2
Bromoform	< 0.9	< 1	< 2	< 2
ыоноюн	۵,۵ -	~ 1	~ 2	` 2



EAI ID#: 235126

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

Sample ID:	Bottom	Duplicate	CS-1	CS-2
Lab Sample ID:	235126.05	235126.06	235126.07	235126.08
Matrix:	soil	soil	soil	soil
Date Sampled:	11/8/21	11/8/21	11/8/21	11/8/21
Date Received:	11/10/21	11/10/21	11/10/21	11/10/21
Units:				
	mg/kg	mg/kg	mg/kg	mg/kg
Date of Analysis:	11/15/21	11/15/21	11/18/21	11/18/21
Analyst:	DGM	DGM	JAK	JAK
Method:	8260C	8260C	8260C	8260C
Dilution Factor:	19	21	50	44
IsoPropylbenzene	4.8	5.2	8.1	8.3
Bromobenzene	< 0.9	< 1	< 2	< 2
1,1,2,2-Tetrachloroethane	< 0.9	< 1	< 2	< 2
1,2,3-Trichloropropane	< 0.9	< 1	< 2	< 2
n-Propylbenzene	17	19	38	36
2-Chlorotoluene	< 0.9	< 1	< 2	< 2
4-Chlorotoluene	< 0.9	< 1	< 2	< 2
1,3,5-Trimethylbenzene	47	47	78	110
tert-Butylbenzene	< 0.9	< 1	< 2	< 2
1,2,4-Trimethylbenzene	150	120	250	360
sec-Butylbenzene	2.2	2	4.7	4.2
1,3-Dichlorobenzene	< 0.9	< 1	< 2	< 2
1,2,3-Trimethylbenzene	35	26	55	84
p-isopropyltoluene	1.6	1.2	2.7	3.1
1,4-Dichlorobenzene	< 0.9	< 1	< 2	< 2
1,2-Dichlorobenzene	< 0.9	< 1	< 2	< 2
n-Butylbenzene	< 0.9	< 1	< 2	< 2
1,2-Dibromo-3-chloropropane	< 0.9	< 1	< 2	< 2
1,2,4-Trichlorobenzene	< 0.9	< 1	< 2	< 2
Hexachlorobutadiene	< 0.9	< 1	< 2	< 2 54
Naphthalene	28 < 0.9	21 < 1	41 < 2	54 < 2
1,2,3-Trichlorobenzene 4-Bromofluorobenzene (surr)	< 0.9 105 %R	105 %R	108 %R	105 %R
1,2-Dichlorobenzene-d4 (surr)	98 %R	98 %R	99 %R	99 %R
Toluene-d8 (surr)	96 %R 89 %R	89 %R	97 %R	98 %R
1,2-Dichloroethane-d4 (surr)	98 %R	100 %R	98 %R	94 %R

Bottom, Duplicate, CS2: Reporting limits are altered due to the % solids content of the sample or the sample mass used for analysis.

Screen for low-level targets was not performed due to sample matrix.

^{1,3,5-}Trimethylbenzene exhibited recovery above acceptance limits in the Quality Control sample(s).

- Λ Λ

LABORATORY REPORT

EAI ID#: 235126

Client: LE Environmental LLC

Cheff Designation. Tigeon Th	Sperty 10-100
Sample ID:	Trip Blank
Lab Sample ID:	235126.09
Matrix:	soil
Date Sampled:	11/8/21
Date Received:	. 11/10/21
Units:	mg/kg
Date of Analysis:	11/14/21
Analyst:	DGM
Method:	8260C
Dilution Factor:	1
Dichlorodifluoromethane	< 0.1
Chloromethane	< 0.1 < 0.02
Vinyl chloride Bromomethane	< 0.02 < 0.1
Chloroethane	< 0.1
Trichlorofluoromethane	< 0.1
Diethyl Ether Acetone	< 0.05 < 2
1,1-Dichloroethene	< 0.05
Methylene chloride	< 0.1
Carbon disulfide Methyl-t-butyl ether(MTBE)	< 0.1 < 0.1
trans-1,2-Dichloroethene	< 0.05
1,1-Dichloroethane	< 0.05
2,2-Dichloropropane cis-1,2-Dichloroethene	< 0.05 < 0.05
2-Butanone(MEK)	< 0.5
Bromochloromethane	< 0.05
Tetrahydrofuran(THF) Chloroform	< 0.5 < 0.05
1,1,1-Trichloroethane	< 0.05
Carbon tetrachloride	< 0.05
1,1-Dichloropropene	< 0.05
Benzene 1,2-Dichloroethane	< 0.05 < 0.05
Trichloroethene	< 0.05
1,2-Dichloropropane	< 0.05
Dibromomethane Bromodichloromethane	< 0.05 < 0.05
4-Methyl-2-pentanone(MIBK)	< 0.5
cis-1,3-Dichloropropene	< 0.05
Toluene trans-1,3-Dichloropropene	< 0.05 < 0.05
1,1,2-Trichloroethane	< 0.05
2-Hexanone	< 0.1
Tetrachloroethene 1,3-Dichloropropane	< 0.05 < 0.05
Dibromochloromethane	< 0.05
1,2-Dibromoethane(EDB)	< 0.02
Chlorobenzene	< 0.05 < 0.05
1,1,1,2-Tetrachloroethane Ethylbenzene	< 0.05 < 0.05
mp-Xylene	< 0.05
o-Xylene	< 0.05
Styrene Bromoform	< 0.05 < 0.05
	0.00



EAI ID#: 235126

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

Sample ID:	Trip Blank
Lab Sample ID:	235126.09
Matrix:	soil
Date Sampled:	11/8/21
Date Received:	11/10/21
Units:	mg/kg
Date of Analysis:	11/14/21
Analyst:	DGM
Method:	8260C
Dilution Factor:	1
IsoPropylbenzene	< 0.05
Bromobenzene	< 0.05 < 0.05
1,1,2,2-Tetrachloroethane	< 0.05
1,2,3-Trichloropropane	< 0.05
n-Propylbenzene 2-Chlorotoluene	< 0.05 < 0.05
4-Chlorotoluene	< 0.05
1,3,5-Trimethylbenzene	< 0.05
tert-Butylbenzene	< 0.05 < 0.05
1,2,4-Trimethylbenzene sec-Butylbenzene	< 0.05 < 0.05
1,3-Dichlorobenzene	< 0.05
1,2,3-Trimethylbenzene	< 0.05
p-Isopropyltoluene 1,4-Dichlorobenzene	< 0.05 < 0.05
1,2-Dichlorobenzene	< 0.05
n-Butylbenzene	< 0.05
1,2-Dibromo-3-chloropropane	< 0.05 < 0.05
1,2,4-Trichlorobenzene Hexachlorobutadiene	< 0.05 < 0.05
Naphthalene	< 0.1
1,2,3-Trichlorobenzene	< 0.05
4-Bromofluorobenzene (surr) 1,2-Dichlorobenzene-d4 (surr)	97 %R 98 %R
Toluene-d8 (surr)	95 %R
1,2-Dichloroethane-d4 (surr)	104 %R

The following analytes were assessed down to the listed concentrations, 1,2-Dibromo-3-Chloropropane (0.0053mg/kg), 1,2,3-Trichloropropane (0.00311mg/kg). Detectable analytes are reported as J flags and should be considered estimated values.



EAI ID#: 235126

Batch ID: 63772235881

Client: LE Environmental LLC

Parameter Name	Blank	LCS	LCSD	Analysis Date	Units	Limits	RPD	Method
Dichlorodifluoromethane	< 0.1	0.99 (99 %R)	0.98 (98 %R) (0 RPD)	11/11/2021	mg/kg	40 - 160	20	8260C
Chloromethane	< 0.1	1.4 (142 %R)	1.4 (137 %R) (3 RPD)	11/11/2021	mg/kg	40 - 160	20	8260C
Vinyl chloride	< 0.02	1.1 (112 %R)	1.1 (108 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Bromomethane	< 0.1	1.1 (105 %R)	1.1 (109 %R) (4 RPD)	11/11/2021	mg/kg	40 - 160	20	8260C
Chloroethane	< 0.1	0.84 (84 %R)	0.85 (85 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Trichlorofluoromethane	< 0.1	* 1.3 (135 %R)	* 1.3 (131 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Diethyl Ether	< 0.05	1.2 (121 %R)	1.1 (114 %R) (6 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Acetone	< 2	< 2 (92 %R)	< 2 (85 %R) (8 RPD)	11/11/2021	mg/kg	40 - 160	20	8260C
1,1-Dichloroethene	< 0.05	1.2 (119 %R)	1.2 (117 %R) (1 RPD)	11/11/2021	mg/kg	59 - 172	20	8260C
Methylene chloride	< 0.1	1.1 (110 %R)	1.1 (106 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Carbon disulfide	< 0.1	0.82 (82 %R)	0.81 (81 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Methyl-t-butyl ether(MTBE)	< 0.1	1.1 (113 %R)	1.1 (108 %R) (5 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
trans-1,2-Dichloroethene	< 0.05	1.2 (115 %R)	1.2 (122 %R) (6 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,1-Dichloroethane	< 0.05	1.2 (122 %R)	1.2 (118 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
2,2-Dichloropropane	< 0.05	1.1 (114 %R)	1.1 (109 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
cis-1,2-Dichloroethene	< 0.05	1.2 (124 %R)	1.2 (119 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
2-Butanone(MEK)	< 0.5	1.0 (103 %R)	0.94 (94 %R) (9 RPD)	11/11/2021	mg/kg	40 - 160	20	8260C
Bromochloromethane	< 0.05	1.1 (113 %R)	1.1 (111 %R) (2 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Tetrahydrofuran(THF)	< 0.5	1.2 (116 %R)	1,1 (105 %R) (9 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Chloroform	< 0.05	1.2 (117 %R)	1.1 (113 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,1,1-Trichloroethane	< 0.05	1.2 (122 %R)	1.2 (118 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Carbon tetrachloride	< 0.05	1.2 (116 %R)	1.1 (113 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,1-Dichloropropene	< 0.05	1.2 (124 %R)	1.2 (121 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Benzene	< 0.05	1.2 (123 %R)	1.2 (119 %R) (3 RPD)	11/11/2021	mg/kg	66 - 142	20	8260C
1,2-Dichloroethane	< 0.05	1.2 (116 %R)	1.1 (111 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Trichloroethene	< 0.05	1.3 (126 %R)	1.2 (122 %R) (3 RPD)	11/11/2021	mg/kg	62 - 137	20	8260C
1,2-Dichloropropane	< 0.05	1.2 (124 %R)	1.2 (119 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Dibromomethane	< 0.05	1.2 (117 %R)	1.1 (113 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Bromodichloromethane	< 0.05	1.2 (115 %R)	1.1 (111 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
4-Methyl-2-pentanone(MIBK)	< 0.5	1.2 (116 %R)	1.1 (106 %R) (9 RPD)	11/11/2021	mg/kg	40 - 160	20	8260C
cis-1,3-Dichloropropene	< 0.05	1.1 (114 %R)	1.1 (110 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Toluene	< 0.05	1.1 (111 %R)	1.1 (108 %R) (3 RPD)		mg/kg	59 - 139	20	8260C
trans-1,3-Dichloropropene	< 0.05	0.96 (96 %R)	0.93 (93 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,1,2-Trichloroethane	< 0.05	1.1 (105 %R)	1.0 (102 %R) (3 RPD)		mg/kg	70 - 130	20	8260C
2-Hexanone	< 0.1	0.97 (97 %R)	0.89 (89 %R) (9 RPD)		mg/kg	40 - 160	20	8260C
Tetrachloroethene	< 0.05	1.1 (111 %R)	1.1 (109 %R) (2 RPD)		mg/kg			8260C
1,3-Dichloropropane	< 0.05	1.0 (103 %R)	1.0 (100 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130		8260C
Dibromochloromethane	< 0.05	0.94 (94 %R)	0.91 (91 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130		8260C
1,2-Dibromoethane(EDB)	< 0.02	1.0 (104 %R)	1.0 (101 %R) (3 RPD)) 11/11/2021	mg/kg	70 - 130	20	8260C
Chlorobenzene	< 0.05	1.1 (111 %R)	1.1 (108 %R) (3 RPD)) 11/11/2021	mg/kg	60 - 133	20	8260C
1,1,1,2-Tetrachloroethane	< 0.05	1.0 (102 %R)	0.99 (99 %R) (3 RPD)) 11/11/2021	mg/kg	70 - 130	20	8260C
Ethylbenzene	< 0.05	1.1 (114 %R)	1.1 (110 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
mp-Xylene	< 0.05	2.2 (111 %R)	2.2 (108 %R) (3 RPD)		mg/kg	70 - 130		8260C
o-Xylene	< 0.05	1.2 (116 %R)	1.1 (112 %R) (3 RPD)		mg/kg	70 - 130	20	8260C
Styrene	< 0.05	1.1 (113 %R)	1.1 (110 %R) (3 RPD)		mg/kg			8260C
Bromoform	< 0.05	0.91 (91 %R)	0.88 (88 %R) (3 RPD)) 11/11/2021	mg/kg	70 - 130	20	8260C





EAI ID#: 235126

Batch ID: 63772235881

Client: LE Environmental LLC

Parameter Name	Blank	LCS	LCSD	Analysis Date	Units	Limits	RPD	Method
IsoPropylbenzene	< 0.05	1.2 (118 %R)	1.1 (115 %R) (3 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Bromobenzene	< 0.05	1.0 (104 %R)	1.0 (104 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,1,2,2-Tetrachloroethane	< 0.05	1.0 (103 %R)	1.0 (101 %R) (2 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,2,3-Trichloropropane	< 0.05	1.0 (103 %R)	1.0 (100 %R) (2 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
n-Propylbenzene	< 0.05	1.2 (119 %R)	1.2 (119 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
2-Chlorotoluene	< 0.05	1.1 (107 %R)	1.1 (106 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
4-Chlorotoluene	< 0.05	1.1 (113 %R)	1.1 (113 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,3,5-Trimethylbenzene	< 0.05	* 1.5 (155 %R)	1.2 (122 %R) (24 RPD) !	11/11/2021	mg/kg	70 - 130	20	8260C
tert-Butylbenzene	< 0.05	1.2 (120 %R)	1.2 (119 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,2,4-Trimethylbenzene	< 0.05	1.2 (120 %R)	1.2 (119 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
sec-Butylbenzene	< 0.05	1.3 (126 %R)	1.2 (125 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,3-Dichlorobenzene	< 0.05	1.1 (113 %R)	1.1 (113 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,2,3-Trimethylbenzene	< 0.05	1.2 (115 %R)	1.1 (114 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
p-Isopropyltoluene	< 0.05	1.3 (125 %R)	1.2 (124 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,4-Dichlorobenzene	< 0.05	1.1 (110 %R)	1.1 (110 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,2-Dichlorobenzene	< 0.05	1.1 (112 %R)	1.1 (112 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
n-Butylbenzene	< 0.05	1.3 (125 %R)	1.2 (125 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,2-Dibromo-3-chloropropane	< 0.05	0.99 (99 %R)	0.95 (95 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,2,4-Trichlorobenzene	< 0.05	1.2 (116 %R)	1.2 (115 %R) (0 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Hexachlorobutadiene	< 0.05	1.2 (116 %R)	1.2 (118 %R) (2 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
Naphthalene	< 0.1	1.1 (114 %R)	1.1 (109 %R) (4 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
1,2,3-Trichlorobenzene	< 0.05	1.2 (115 %R)	1.1 (114 %R) (1 RPD)	11/11/2021	mg/kg	70 - 130	20	8260C
4-Bromofluorobenzene (surr)	102 %R	105 %R	104 %R	11/11/2021	% Rec	70 - 130	20	8260C
1,2-Dichlorobenzene-d4 (surr)	110 %R	110 %R	110 %R	11/11/2021	% Rec	70 - 130	20	8260C
Toluene-d8 (surr)	95 %R	95 %R	95 %R	11/11/2021	% Rec	70 - 130	20	8260C
1,2-Dichloroethane-d4 (surr)	100 %R	97 %R	97 %R	11/11/2021	% Rec	70 - 130	20	8260C

^{*/!} Flagged analyte recoveries deviated from the QA/QC limits. Data that impacts sample results are noted on the sample report.



EAI ID#: 235126

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

Sample ID:	CS-1	CS-2	
Lab Sample ID:	235126.07	235126.08	
Matrix:	soil	soil	
Date Sampled:	11/8/21	11/8/21	
Date Received:	11/10/21	11/10/21	
Units:	mg/kg	mg/kg	
Date of Analysis:	12/8/21	12/8/21	
Analyst:	JAK	JAK	
Method:	8015Cmod	8015Cmod	
Dilution Factor:	43	38	
TPH (Gasoline Range C6-C10) FID 2.5-Dibromotoluene (surr)	2100 DOR	2500 DOR	

DOR: Diluted out of calibration range.

Sample(s) analyzed past hold time at the client's request.



EAI ID#: 235126

Client: LE Environmental LLC

Batch ID: 637744-81801/S120721GRO1

Parameter Name	Blank	LCS	LCSD	Analysis Date	Units	Limits	RPD	Method
TPH (Gasoline Range C6-C10)	< 2	25 (106 %R)	26 (107 %R) (1 RPD	,				8015Cmo
FID 2,5-Dibromotoluene (surr)	97 %R	109 %R	111 %F	R 12/7/2021	% Rec	70 - 130	30	8015Cmo

^{*/!} Flagged analyte recoveries deviated from the QA/QC limits. Data that impacts sample results are noted on the sample report.



EAI ID#: 235126

JMR

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

 Client Sample ID:
 CS-1
 Date Sampled:
 11/8/21
 Units:
 mg/kg

 Lab Sample ID:
 235126.07
 Date Received:
 11/10/21
 Method:
 8270D

Matrix: soil Date Prepared: 11/15/21 Analyst:

	Result	Dilution Factor	Date Analyzed		D Result F	ilution actor	Date Analyzed	TEF	TEQ
alpha-Terpineol	< 2	- 5	11/16/21	Isophorone	< 0.4	5	11/16/21		
Phenol	< 0.4	5	11/16/21	2,4-Dinitrotoluene	< 0.8	5	11/16/21		
2-Chlorophenol	< 0.4	5	11/16/21	2,6-Dinitrotoluene	< 0.8	5	11/16/21		
2,4-Dichlorophenol	< 0.4	5	11/16/21	Benzidine (estimated)	< 2	5	11/16/21		
2,4,5-Trichlorophenol	< 0.4	5	11/16/21	3,3'-Dichlorobenzidine	< 0.4	5	11/16/21		
2,4,6-Trichlorophenol	< 0.4	5	11/16/21	Pyridine	< 2	5	11/16/21		
Pentachlorophenol	< 2	5	11/16/21	Azobenzene	< 0.4	5	11/16/21		
2-Nitrophenol	< 2	5	11/16/21	Carbazole	< 0.4	5	11/16/21		
4-Nitrophenol	< 2	5	11/16/21	Dimethylphthalate	< 0.4	5	11/16/21		
2,4-Dinitrophenol	< 4	5	11/16/21	Diethylphthalate	< 2	5	11/16/21		
2-Methylphenol	< 0.4	5	11/16/21	Di-n-butylphthalate	< 2	5	11/16/21		
3/4-Methylphenol	< 0.4	5	11/16/21	Butylbenzylphthalate	< 2	5	11/16/21		
2,4-Dimethylphenol	< 2	5	11/16/21	bis(2-Ethylhexyl)phthalate	< 2	5	11/16/21		
4-Chloro-3-methylphenol	< 0.4	5	11/16/21	Di-n-octylphthalate	< 2	5	11/16/21		
4,6-Dinitro-2-methylphenol	< 2	5	11/16/21	Dibenzofuran	< 0.4	5	11/16/21		
Benzoic Acid	< 20	5	11/16/21	Naphthalene	3.0	5	11/16/21		
N-Nitrosodimethylamine	< 0.4	5	11/16/21	2-Methylnaphthalene	5.5	5	11/16/21		
n-Nitroso-di-n-propylamine	< 0.2	5	11/16/21	1-Methylnaphthalene	2.8	5	11/16/21		
n-Nitrosodiphenylamine	< 0.4	5	11/16/21	Acenaphthylene	0.054	5	11/16/21		
bis(2-Chloroethyl)ether	< 0.4	5	11/16/21	Acenaphthene	< 0.04	5	11/16/21		
bis(2-chloroisopropyl)ether	< 0.4	5	11/16/21	Fluorene	0.12	5	11/16/21		
bis(2-Chloroethoxy)methane	< 0.4	5	11/16/21	Phenanthrene	0.41	5	11/16/21		
1,3-Dichlorobenzene	< 0.4	5	11/16/21	Anthracene	0.061	5	11/16/21		
Acetophenone	< 4	5	11/16/21	Fluoranthene	0.51	5	11/16/21		
1,4-Dichlorobenzene	< 0.4	5	11/16/21	Pyrene	0.43	5	11/16/21		
1,2-Dichlorobenzene	< 0.4	5	11/16/21	Benzo[a]anthracene	0.15	5	11/16/21	0.1	.015
1,2,4-Trichlorobenzene	< 0.4	5	11/16/21	Chrysene	0.18	5	11/16/21	0.001	.00018
2-Chloronaphthalene	< 0.4	5	11/16/21	Benzo[b]fluoranthene	0.26	5	11/16/21	0.1	.026
4-Chlorophenyl-phenylether	< 0.4	5	11/16/21	Benzo[k]fluoranthene	0.088	5	11/16/21	0.01	.00088
4-Bromophenyl-phenylether	< 0.4	5	11/16/21	Benzo[a]pyrene	0.17	- 5	11/16/21	1	.17
Hexachloroethane	< 0.4	5	11/16/21	Indeno[1,2,3-cd]pyrene	0.21	5	11/16/21	0.1	.021
Hexachlorobutadiene	< 0.4	5	11/16/21	Dibenz[a,h]anthracene	< 0.04	5	11/16/21	1	< .04
Hexachlorocyclopentadiene	< 2	5	11/16/21	Benzo[g,h,i]perylene	0.22	5	11/16/21		
Hexachiorobenzene	< 0.4	5	11/16/21	n-Decane	< 2	5	11/16/21		
4-Chloroaniline	< 0.4	5	11/16/21	n-Octadecane	< 2	5	11/16/21		
2,3-Dichloroaniline	< 0.4	5	11/16/21	2-Fluorophenol (surr)	57 %R		11/16/21		
2-Nitroaniline	< 2	5	11/16/21	Phenol-d6 (surr)	65 %R		11/16/21		
3-Nitroaniline	< 2	5	11/16/21	2,4,6-Tribromophenol	81 %R		11/16/21		
4-Nitroaniline	< 2		11/16/21	Nitrobenzene-D5 (surr)	73 %R		11/16/21		
Aniline	< 0.4	5	11/16/21	2-Fluorobiphenyl (surr)	72 %R		11/16/21		
Benzyl alcohol	< 4	5	11/16/21	p-Terphenyl-D14 (surr)	75 %R		11/16/21		
Nitrobenzene	< 0.4		11/16/21	· · · · ·					

Detection limits elevated in response to sample matrix and the lower initial mass used for analysis.

TEF: Toxicity Equivalent Factor TEQ: Toxicity Equivalence to Benzo[a]pyrene

The TEF factors set forth in this report are taken from the following EPA document: "Mid- Atlantic Risk Assessment User's Guide: November 2013". This guidance document sets forth a recommended, but not mandatory approach based upon currently available information with respect to risk assessment for response actions at CERCLA sites. This document does not establish binding rules. This document contains the most current TEF values per VT IROCP.



EAI ID#: 235126

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

 Client Sample ID:
 CS-2
 Date Sampled:
 11/8/21
 Units:
 mg/kg

 Lab Sample ID:
 235126.08
 Date Received:
 11/10/21
 Method:
 8270D

Matrix: soil Date Prepared: 11/15/21 Analyst: JMR

	Result ¡	ilution Factor	Date Analyzed		Dilt Result Fa	ution ctor	Date Analyzed	TEF	TEQ
alpha-Terpineol	< 2	5	11/16/21	Isophorone	< 0.4	5	11/16/21		
Phenol	< 0.4	5	11/16/21	2,4-Dinitrotoluene	< 0.7	5	11/16/21		
2-Chlorophenol	< 0.4	5	11/16/21	2,6-Dinitrotoluene	< 0.7	5	11/16/21		
2,4-Dichlorophenol	< 0.4	5	11/16/21	Benzidine (estimated)	< 2	5	11/16/21		
2,4,5-Trichlorophenol	< 0.4	5	11/16/21	3,3'-Dichlorobenzidine	< 0.4	5	11/16/21		
2,4,6-Trichlorophenol	< 0.4	5	11/16/21	Pyridine	< 2	5	11/16/21		
Pentachlorophenol	< 2	5	11/16/21	Azobenzene	< 0.4	5	11/16/21		
2-Nitrophenol	< 2	5	11/16/21	Carbazole	< 0.4	5	11/16/21		
4-Nitrophenol	< 2	5	11/16/21	Dimethylphthalate	< 0.4	5	11/16/21		
2,4-Dinitrophenol	< 4	5	11/16/21	Diethylphthalate	< 2	5	11/16/21		
2-Methylphenol	< 0.4	5	11/16/21	Di-n-butylphthalate	< 2	5	11/16/21		
3/4-Methylphenol	< 0.4	5	11/16/21	Butylbenzylphthalate	< 2	5	11/16/21		
2,4-Dimethylphenol	< 2	5	11/16/21	bis(2-Ethylhexyl)phthalate	< 2	5	11/16/21		
4-Chloro-3-methylphenol	< 0.4	5	11/16/21	Di-n-octylphthalate	< 2	5	11/16/21		
4,6-Dinitro-2-methylphenol	< 2	5	11/16/21	Dibenzofuran	< 0.4	5	11/16/21		
Benzoic Acid	< 20	5	11/16/21	Naphthalene	4.3	5	11/16/21		
N-Nitrosodimethylamine	< 0.4	5	11/16/21	2-Methylnaphthalene	6.9	5	11/16/21		
n-Nitroso-di-n-propylamine	< 0.2	5	11/16/21	1-Methylnaphthalene	3.6	5	11/16/21		
n-Nitrosodiphenylamine	< 0.4	5	11/16/21	Acenaphthylene	0.10	5	11/16/21		
bis(2-Chloroethyl)ether	< 0.4	5	11/16/21	Acenaphthene	0.041	5	11/16/21		
bis(2-chloroisopropyl)ether	< 0.4	5	11/16/21	Fluorene	0.14	5	11/16/21		
bis(2-Chloroethoxy)methane	< 0.4	5	11/16/21	Phenanthrene	0.42	5	11/16/21		
1,3-Dichlorobenzene	< 0.4	5	11/16/21	Anthracene	0.076	5	11/16/21		
Acetophenone	< 4	5	11/16/21	Fluoranthene	0.76	5	11/16/21		
1,4-Dichlorobenzene	< 0.4	5	11/16/21	Pyrene	0.66	5	11/16/21		
1,2-Dichlorobenzene	< 0.4	5	11/16/21	Benzo[a]anthracene	0.29	5	11/16/21	0.1	.029
1,2,4-Trichlorobenzene	< 0.4	5	11/16/21	Chrysene	0.35	5	11/16/21	0.001	.00035
2-Chloronaphthalene	< 0.4	5	11/16/21	Benzo[b]fluoranthene	0.54	5	11/16/21	0.1	.054
4-Chlorophenyl-phenylether	< 0.4	5	11/16/21	Benzo[k]fluoranthene	0.18	5	11/16/21	0.01	.0018
4-Bromophenyl-phenylether	< 0.4	5	11/16/21	Benzo[a]pyrene	0.37	5	11/16/21	1	.37
Hexachloroethane	< 0.4	5	11/16/21	Indeno[1,2,3-cd]pyrene	0.43	5	11/16/21	0.1	.043
Hexachlorobutadiene	< 0.4	5	11/16/21	Dibenz[a,h]anthracene	0.080	5	11/16/21	1	.08
Hexachlorocyclopentadiene	< 2	5	11/16/21	Benzo[g,h,i]perylene	0.46	5	11/16/21		
Hexachlorobenzene	< 0.4	5	11/16/21	n-Decane	< 2	5	11/16/21		
4-Chloroaniline	< 0.4	5	11/16/21	n-Octadecane	< 2	5	11/16/21		
2,3-Dichloroaniline	< 0.4	5	11/16/21	2-Fluorophenol (surr)	65 %R		11/16/21		
2-Nitroaniline	< 2	5	11/16/21	Phenol-d6 (surr)	73 %R		11/16/21		
3-Nitroaniline	< 2	5	11/16/21	2,4,6-Tribromophenol	88 %R		11/16/21		
4-Nitroaniline	< 2	5	11/16/21	Nitrobenzene-D5 (surr)	80 %R		11/16/21		
Aniline	< 0.4	5	11/16/21	2-Fluorobiphenyl (surr)	79 %R		11/16/21		
Benzyl alcohol	< 4	5	11/16/21	p-Terphenyl-D14 (surr)	81 %R		11/16/21		
Nitrobenzene	< 0.4	5	11/16/21						

Detection limits elevated in response to sample matrix and the lower initial mass used for analysis.

TEF: Toxicity Equivalent Factor TEQ: Toxicity Equivalence to Benzo[a]pyrene

The TEF factors set forth in this report are taken from the following EPA document: "Mid- Atlantic Risk Assessment User's Guide: November 2013". This guidance document sets forth a recommended, but not mandatory approach based upon currently available information with respect to risk assessment for response actions at CERCLA sites. This document does not establish binding rules. This document contains the most current TEF values per VT IROCP.

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

EAI ID#: 235126

Batch ID: 637725-61356/S111521ABN1

Parameter Name	Blank	LCS	LCSD	Analysis Date	Units	Limits	RPD	Method
alpha-Terpineol	< 0.34	1.3 (76 %R)	1.3 (78 %R) (3 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Phenol	< 0.07	2.1 (63 %R)	2.1 (62 %R) (2 RPD)	11/16/2021	mg/kg	15 - 130	30	8270D
2-Chlorophenol	< 0.07	2.3 (68 %R)	2.2 (66 %R) (3 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
2,4-Dichlorophenol	< 0.07	2.7 (81 %R)	2.8 (83 %R) (3 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
2,4,5-Trichlorophenol	< 0.07	2.6 (79 %R)	2.7 (81 %R) (2 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
2,4,6-Trichlorophenol	< 0.07	2.6 (77 %R)	2.6 (79 %R) (3 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
Pentachlorophenol	< 0.34	2.5 (76 %R)	2.6 (77 %R) (2 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
2-Nitrophenol	< 0.34	2.9 (87 %R)	2.9 (88 %R) (1 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
4-Nitrophenol	< 0.34	2.5 (75 %R)	2.6 (77 %R) (2 RPD)	11/16/2021	mg/kg	15 - 130	30	8270D
2,4-Dinitrophenol	< 0.7	2.8 (83 %R)	2.9 (88 %R) (5 RPD)		mg/kg	15 - 130	30	8270D
2-Methylphenol	< 0.07	2.4 (72 %R)	2.4 (72 %R) (0 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
3/4-Methylphenol	< 0.07	2.5 (75 %R)	2.5 (76 %R) (1 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
2,4-Dimethylphenol	< 0.34	2.5 (75 %R)	2.6 (77 %R) (2 RPD)		mg/kg	30 - 130	30	8270D
4-Chloro-3-methylphenol	< 0.07	2.7 (82 %R)	2.8 (84 %R) (3 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
4,6-Dinitro-2-methylphenol	< 0.34	3.3 (100 %R)	3.4 (102 %R) (2 RPD)	11/16/2021	mg/kg	30 - 130	30	8270D
Benzoic Acid	< 3.4	< 3.4 (69 %R)	< 3.4 (77 %R) (10 RPD)		mg/kg	15 - 130	30	8270D
N-Nitrosodimethylamine	< 0.07	1.0 (62 %R)	0.97 (58 %R) (6 RPD)	11/16/2021	mg/kg	15 - 140	30	8270D
n-Nitroso-di-n-propylamine	< 0.04	1.2 (71 %R)	1.2 (72 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
n-Nitrosodiphenylamine	< 0.07	1.3 (80 %R)	1.3 (81 %R) (1 RPD)		mg/kg	40 - 140	30	8270D
bis(2-Chloroethyl)ether	< 0.07	1.1 (66 %R)	1.1 (63 %R) (5 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
bis(2-chloroisopropyl)ether	< 0.07	0.99 (59 %R)	0.95 (57 %R) (4 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
bis(2-Chloroethoxy)methane	< 0.07	1.3 (77 %R)	1.3 (78 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
1,3-Dichlorobenzene	< 0.07	1.1 (63 %R)	0.98 (59 %R) (7 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Acetophenone	< 0.7	1.1 (66 %R)	1.1 (66 %R) (0 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
1,4-Dichlorobenzene	< 0.07	1.0 (63 %R)	0.98 (59 %R) (6 RPD)		mg/kg	40 - 140	30	8270D
1,2-Dichlorobenzene	< 0.07	1.1 (66 %R)	1.0 (61 %R) (7 RPD)		mg/kg	40 - 140	30	8270D
1,2,4-Trichlorobenzene	< 0.07	1.2 (74 %R)	1.2 (73 %R) (2 RPD)		mg/kg	40 - 140	30	8270D
2-Chloronaphthalene	< 0.07	1.2 (74 %R)	1.2 (75 %R) (2 RPD)		mg/kg	40 - 140	30	8270D
4-Chlorophenyl-phenylether	< 0.07	1.3 (77 %R)	1.3 (79 %R) (2 RPD)		mg/kg	40 - 140	30	8270D
4-Bromophenyl-phenylether	< 0.07	1.4 (83 %R)	1.4 (84 %R) (2 RPD)		mg/kg	40 - 140	30	8270D
Hexachloroethane	< 0.07	1.1 (66 %R)	1.0 (61 %R) (7 RPD)		mg/kg	40 - 140	30	8270D
Hexachlorobutadiene	< 0.07	1.2 (74 %R)	1.2 (72 %R) (3 RPD)		mg/kg	40 - 140	30	8270D
Hexachlorocyclopentadiene	< 0.34	0.88 (53 %R)	0.93 (56 %R) (5 RPD)		mg/kg	15 - 140	30	8270D
Hexachlorobenzene	< 0.07	1.4 (85 %R)	1.4 (86 %R) (1 RPD)		mg/kg	40 - 140	30	8270D
4-Chloroaniline	< 0.07	1.3 (79 %R)	1.4 (82 %R) (3 RPD)		mg/kg	15 - 140	30	8270D
2,3-Dichloroaniline	< 0.07	1.2 (75 %R)	1.3 (77 %R) (3 RPD)		mg/kg	40 - 140	30	8270D
2-Nitroaniline	< 0.34	1.2 (73 %R)	1.3 (75 %R) (3 RPD)		mg/kg	40 - 140	30	8270D
3-Nitroaniline	< 0.34	1.4 (82 %R)	1.4 (85 %R) (3 RPD)		mg/kg	40 - 140	30	8270D
4-Nitroaniline	< 0.34	1.4 (87 %R)	1.5 (88 %R) (2 RPD)		mg/kg	40 - 140	30	8270D
Aniline	< 0.07	1.0 (61 %R)	0.99 (59 %R) (3 RPD)		mg/kg	40 - 140	30	8270D
Benzyl alcohol	< 0.7	1.2 (73 %R)	1.2 (74 %R) (2 RPD)		mg/kg	40 - 140	30	8270D
Nitrobenzene	< 0.07	1.2 (73 %R)	1.2 (73 %R) (1 RPD)		mg/kg	40 - 140	30	8270D
Isophorone	< 0.07	1.3 (78 %R)	1.3 (80 %R) (3 RPD)		mg/kg	40 - 140	30	8270D
2,4-Dinitrotoluene	< 0.14	1.5 (89 %R)	1.5 (91 %R) (3 RPD)		mg/kg	40 - 140	30	8270D
2,6-Dinitrotoluene	< 0.14	1.5 (89 %R)	1.5 (91 %R) (2 RPD)		mg/kg	40 - 140	30	8270D
Benzidine (estimated)	< 0.34	0.51 (31 %R)	0.64 (39 %R) (22 RPD)	11/16/2021	mg/kg	1 - 200	50	8270D



Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

EAI ID#: 235126

Batch ID: 637725-61356/S111521ABN1

3,3*Dichlorobenzidine	Parameter Name	Blank	LCS	LCSD	Analysis Date	Units	Limits	RPD	Method
Azobenzene	3,3'-Dichlorobenzidine	< 0.07	1.2 (73 %R)	1.2 (74 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Carbazole < 0.07 1.3 (80 %R) 1.3 (79 %R) (0 RPD) 11/16/2021 mg/kg 40-140 30 8270D Dimethylphthalate < 0.07	Pyridine	< 0.34	0.90 (54 %R)	0.86 (52 %R) (4 RPD)	11/16/2021	mg/kg	15 - 140	30	8270D
Dimethylphthalate < 0.07 1.2 (74 %R) 1.3 (77 %R) (3 RP) 11/16/2021 mg/kg 40 - 140 30 8270D Diethylphthalate < 0.34	Azobenzene	< 0.07	1.2 (71 %R)	1.2 (71 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Diethylphthalate	Carbazole	< 0.07	1.3 (80 %R)	1.3 (79 %R) (0 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Di-n-butylphthalate	Dimethyiphthalate	< 0.07	1.2 (74 %R)	1.3 (77 %R) (3 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Butylbenzylphthalate	Diethylphthalate	< 0.34	1.3 (76 %R)	1.3 (76 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
bis(2-Ethylhexyl)phthalate < 0.34 1.3 (79 %R) 1.3 (78 %R) (2 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Di-n-octylphthalate < 0.34	Di-n-butylphthalate	< 0.34	1.4 (85 %R)	1.3 (80 %R) (6 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Di-n-octylphthalate < 0.34 1.3 (76 %R) 1.3 (76 %R) (0 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Dibenzofuran < 0.07	Butylbenzylphthalate	< 0.34	1.3 (76 %R)	1.3 (76 %R) (0 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Dibenzofuran < 0.07 1.2 (74 %R) 1.3 (76 %R) (3 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Naphthalene < 0.007	bis(2-Ethylhexyl)phthalate	< 0.34	1.3 (79 %R)	1.3 (78 %R) (2 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Naphthalene	Di-n-octylphthalate	< 0.34	1.3 (76 %R)	1.3 (76 %R) (0 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
2-Methylnaphthalene < 0.007 1.3 (80 %R) 1.4 (82 %R) (2 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D 1-Methylnaphthalene < 0.007	Dibenzofuran	< 0.07	1.2 (74 %R)	1.3 (76 %R) (3 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
1-Methylnaphthalene < 0.007 1.4 (81 %R) 1.4 (83 %R) (2 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Acenaphthylene < 0.007	Naphthalene	< 0.007	1.2 (73 %R)	1.2 (73 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Acenaphthylene < 0.007 1.2 (74 %R) 1.3 (76 %R) (3 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Acenaphthene < 0.007	2-Methylnaphthalene	< 0.007	1.3 (80 %R)	1.4 (82 %R) (2 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Acenaphthene < 0.007 1.2 (72 %R) 1.2 (74 %R) (4 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Fluorene < 0.007	1-Methylnaphthalene	< 0.007	1.4 (81 %R)	1.4 (83 %R) (2 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Fluorene < 0.007 1.2 (73 %R) 1.3 (76 %R) (4 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Phenanthrene < 0.007	Acenaphthylene	< 0.007	1.2 (74 %R)	1.3 (76 %R) (3 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Phenanthrene < 0.007 1.3 (76 %R) 1.3 (77 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Anthracene < 0.007	Acenaphthene	< 0.007	1.2 (72 %R)	1.2 (74 %R) (4 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Phenanthrene < 0.007 1.3 (76 %R) 1.3 (77 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Anthracene < 0.007	Fluorene	< 0.007	1.2 (73 %R)	1.3 (76 %R) (4 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Fluoranthene < 0.007 1.3 (81 %R) 1.3 (80 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Pyrene < 0.007	Phenanthrene	< 0.007	1.3 (76 %R)	1.3 (77 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Pyrene < 0.007 1.2 (74 %R) 1.2 (73 %R) (0 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[a]anthracene < 0.007	Anthracene	< 0.007	1.3 (77 %R)	1.3 (78 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Benzo[a]anthracene < 0.007 1.2 (73 %R) 1.2 (73 %R) (0 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Chrysene < 0.007 1.3 (77 %R) 1.3 (76 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[b]fluoranthene < 0.007 1.3 (81 %R) 1.3 (78 %R) (3 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[k]fluoranthene < 0.007 1.3 (79 %R) 1.3 (80 %R) (2 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[a]pyrene < 0.007 1.3 (78 %R) 1.3 (78 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Indeno[1,2,3-cd]pyrene < 0.007 1.3 (78 %R) 1.3 (79 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Indeno[1,2,3-cd]pyrene < 0.007 1.3 (80 %R) 1.3 (79 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[g,h,i]perylene < 0.007 1.3 (80 %R) 1.3 (79 %R) (1 RPD) 11/16/2021 mg/kg<	Fluoranthene	< 0.007	1.3 (81 %R)	1.3 (80 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Chrysene < 0.007 1.3 (77 %R) 1.3 (76 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[b]fluoranthene < 0.007	Pyrene	< 0.007	1.2 (74 %R)	1.2 (73 %R) (0 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Benzo[b]fluoranthene < 0.007 1.3 (81 %R) 1.3 (78 %R) (3 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[k]fluoranthene < 0.007	Benzo[a]anthracene	< 0.007	1.2 (73 %R)	1.2 (73 %R) (0 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Benzo[k]fluoranthene < 0.007	Chrysene	< 0.007	1.3 (77 %R)	1.3 (76 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Benzo[a]pyrene < 0.007 1.3 (78 %R) 1.3 (78 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Indeno[1,2,3-cd]pyrene < 0.007	Benzo[b]fluoranthene	< 0.007	1.3 (81 %R)	1.3 (78 %R) (3 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Indeno[1,2,3-cd]pyrene < 0.007	Benzo[k]fluoranthene	< 0.007	1.3 (79 %R)	1.3 (80 %R) (2 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Dibenz[a,h]anthracene < 0.007 1.3 (78 %R) 1.3 (77 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D Benzo[g,h,i]perylene < 0.007	Benzo[a]pyrene	< 0.007	1.3 (78 %R)	1.3 (78 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Benzo[g,h,i]perylene < 0.007 1.3 (80 %R) 1.3 (79 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D n-Decane < 0.34	Indeno[1,2,3-cd]pyrene	< 0.007	1.3 (80 %R)	1.3 (79 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
n-Decane < 0.34 0.90 (54 %R) 0.83 (50 %R) (9 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D n-Octadecane < 0.34	Dibenz[a,h]anthracene	< 0.007	1.3 (78 %R)	1.3 (77 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
n-Octadecane < 0.34 1.3 (75 %R) 1.3 (76 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D 2-Fluorophenol (surr) 38 %R 60 %R 57 %R 11/16/2021 mg/kg 30 - 130 30 8270D Phenol-d6 (surr) 47 %R 68 %R 68 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2,4,6-Tribromophenol (surr) 70 %R 86 %R 88 %R 11/16/2021 mg/kg 30 - 130 30 8270D Nitrobenzene-D5 (surr) 48 %R 74 %R 74 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2-Fluorobiphenyl (surr) 56 %R 73 %R 75 %R 11/16/2021 mg/kg 30 - 130 30 8270D	Benzo[g,h,i]perylene	< 0.007	1.3 (80 %R)	1.3 (79 %R) (1 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
n-Octadecane < 0.34 1.3 (75 %R) 1.3 (76 %R) (1 RPD) 11/16/2021 mg/kg 40 - 140 30 8270D 2-Fluorophenol (surr) 38 %R 60 %R 57 %R 11/16/2021 mg/kg 30 - 130 30 8270D Phenol-d6 (surr) 47 %R 68 %R 68 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2,4,6-Tribromophenol (surr) 70 %R 86 %R 88 %R 11/16/2021 mg/kg 30 - 130 30 8270D Nitrobenzene-D5 (surr) 48 %R 74 %R 74 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2-Fluorobiphenyl (surr) 56 %R 73 %R 75 %R 11/16/2021 mg/kg 30 - 130 30 8270D	n-Decane	< 0.34	0.90 (54 %R)	0.83 (50 %R) (9 RPD)	11/16/2021	mg/kg	40 - 140	30	8270D
Phenol-d6 (surr) 47 %R 68 %R 68 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2,4,6-Tribromophenol (surr) 70 %R 86 %R 88 %R 11/16/2021 mg/kg 30 - 130 30 8270D Nitrobenzene-D5 (surr) 48 %R 74 %R 74 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2-Fluorobiphenyl (surr) 56 %R 73 %R 75 %R 11/16/2021 mg/kg 30 - 130 30 8270D	n-Octadecane	< 0.34	1.3 (75 %R)			mg/kg	40 - 140	30	8270D
2,4,6-Tribromophenol (surr) 70 %R 86 %R 88 %R 11/16/2021 mg/kg 30 - 130 30 8270D Nitrobenzene-D5 (surr) 48 %R 74 %R 74 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2-Fluorobiphenyl (surr) 56 %R 73 %R 75 %R 11/16/2021 mg/kg 30 - 130 30 8270D	2-Fluorophenol (surr)	38 %R	60 %R	57 %R	11/16/2021	mg/kg	30 - 130	30	8270D
Nitrobenzene-D5 (surr) 48 %R 74 %R 74 %R 11/16/2021 mg/kg 30 - 130 30 8270D 2-Fluorobiphenyl (surr) 56 %R 73 %R 75 %R 11/16/2021 mg/kg 30 - 130 30 8270D	Phenol-d6 (surr)	47 %R	68 %R	68 %R	11/16/2021	mg/kg	30 - 130	30	8270D
2-Fluorobiphenyl (surr) 56 %R 73 %R 75 %R 11/16/2021 mg/kg 30 - 130 30 8270D	2,4,6-Tribromophenol (surr)	70 %R	86 %R	88 %R	11/16/2021	mg/kg	30 - 130	30	8270D
	Nitrobenzene-D5 (surr)	48 %R	74 %R	74 %R	11/16/2021	mg/kg	30 - 130	30	8270D
p-Terphenyl-D14 (surr) 70 %R 78 %R 79 %R 11/16/2021 mg/kg 30 - 130 30 8270D	2-Fluorobiphenyl (surr)	56 %R	73 %R	75 %R	11/16/2021	mg/kg	30 - 130	30	8270D
	p-Terphenyl-D14 (surr)	70 %R	78 %R	79 %R	11/16/2021	mg/kg	30 - 130	30	8270D

^{*/!} Flagged analyte recoveries deviated from the QA/QC limits. Data that impacts sample results are noted on the sample report.



EAIID#: 235126

Client: LE Environmental LLC

Sample ID:	CS-1	CS-2	ALCO HOME
Lab Sample ID:	235126.07	235126.08	
Matrix:	soil	soil	
Date Sampled:	11/8/21	11/8/21	
Date Received:	11/10/21	11/10/21	
Units:	mg/kg	mg/kg	
Date of Extraction/Prep:	11/15/21	11/15/21	
Date of Analysis:	11/15/21	11/15/21	
Analyst:	JMR	JMR	
Method:	8100mod	8100mod	
Dilution Factor:	6	6	
TPH (C9-C40)	220	330	
p-Terphenyl-D14 (surr)	68 %R	68 %R	

QC REPORT

EAI ID#: 235126

Client: LE Environmental LLC

Batch ID: 637725-60822/S111521TPH1

Parameter Name	Blank	LCS	LCSD	Analysis Date	Units	Limits	RPD	Method
TPH (C9-C40)	< 30	66 (83 %R)	69 (86 %R) (4 RPD)	11/15/2021	mg/kg	30 - 160	30	8100mod
p-Terphenyl-D14 (surr)	74 %R	72 %R	75 %R	11/15/2021	% Rec	30 - 130		8100mod

^{*/!} Flagged analyte recoveries deviated from the QA/QC limits. Data that impacts sample results are noted on the sample report.



EAI ID#: 235126

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

Sample ID:	CS-1	CS-2
Lab Sample ID:	235126.07	235126.08
Matrix:	soil	soil
Date Sampled:	11/8/21	11/8/21
Date Received:	11/10/21	11/10/21
% Solid:	83.1	84.1
Units:	mg/kg	mg/kg
Date of Extraction/Prep:	11/11/21	11/11/21
Date of Analysis:	11/16/21	11/16/21
Analyst:	MB	MB
Extraction Method:	3540C	3540C
Analysis Method:	8082A	8082A
Dilution Factor:	1	1
PCB-1016	< 0.02	< 0.02
PCB-1221	< 0.02	< 0.02
PCB-1232	< 0.02	< 0.02
PCB-1242	< 0.02	< 0.02
PCB-1248	< 0.02	0.12
PCB-1254	< 0.02	< 0.02
PCB-1260	< 0.02	< 0.02
PCB-1262	< 0.02	< 0.02
PCB-1268	< 0.02	< 0.02
TMX (surr)	79 %R	78 %R
DCB (surr)	83 %R	76 %R

Acid clean-up was performed on the samples and associated batch QC.

QC REPORT

Client: LE Environmental LLC

EALID#: **235126 Batch ID**: 637722-16189/S111121PCB1

Parameter Name	Blank	LCS	LCSD	Analysis Date	Units	Limits	RPD	Method
PCB-1016	< 0.02	0.13 (96 %R)	0.13 (98 %R) (2 RPD)) 11/16/2021	mg/kg	40 - 140	30	8082A
PCB-1221	< 0.02	< 0.02 (%R N/A)	< 0.02 (%R N/A) (RPD N/A)) 11/16/2021	mg/kg			8082A
PCB-1232	< 0.02	< 0.02 (%R N/A)	< 0.02 (%R N/A) (RPD N/A)) 11/16/2021	mg/kg			8082A
PCB-1242	< 0.02	< 0.02 (%R N/A)	< 0.02 (%R N/A) (RPD N/A)	11/16/2021	mg/kg			8082A
PCB-1248	< 0.02	< 0.02 (%R N/A)	< 0.02 (%R N/A) (RPD N/A)) 11/16/2021	mg/kg			8082A
PCB-1254	< 0.02	< 0.02 (%R N/A)	< 0.02 (%R N/A) (RPD N/A)) 11/16/2021	mg/kg			8082A
PCB-1260	< 0.02	0.12 (93 %R)	0.13 (94 %R) (1 RPD)) 11/16/2021	mg/kg	40 - 140	30	8082A
PCB-1262	< 0.02	< 0.02 (%R N/A)	< 0.02 (%R N/A) (RPD N/A)) 11/16/2021	mg/kg			8082A
PCB-1268	< 0.02	< 0.02 (%R N/A)	< 0.02 (%R N/A) (RPD N/A)) 11/16/2021	mg/kg			8082A
TMX (surr)	95 %R	103 %R	104 %F	11/16/2021	% Rec	30 - 150	30	8082A
DCB (surr)	95 %R	105 %R	104 %F	11/16/2021	% Rec	30 - 150	30	8082A

^{*/!} Flagged analyte recoveries deviated from the QA/QC limits. Data that impacts sample results are noted on the sample report.



LABORATORY REPORT

EAI ID#: 235126

Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

Sample ID:	CS-1	CS-2	
Lab Sample ID:	235126.07	235126.08	
Matrix:	soil	soil	
Date Sampled:	11/8/21	11/8/21	Analysis
Date Received:	11/10/21	11/10/21	Units Date Time Method Analyst
рН	7.65	8.05	SU 11/11/21 14:20 9045 KEF
Ignitability	Pass	Pass	None 11/11/21 15:21 1030 HEH
Reactive Cyanide	< 1	< 1	mg/kg 11/11/21 15:00 7.3.3.2 KEF
Reactive Sulfide	< 10	< 10	mg/kg 11/11/21 15:00 7.3.4.2 KEF

< 10

QC REPORT



Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

Parameter Name	Blank	LCS	LCSD	Units Analysis	Limits RPD	Method
рН	NA	7.93 (99 %R)	7.92 (99 %R) (0 RPD)	SU 11/11/21	7.91 - 8.09 10	9045
Reactive Cyanide	< 1	< 10 (7 %R)	NA	mg/kg 11/11/21	0 - 73	7.3.3.2
Reactive Sulfide	< 10	12 (60 %R)	NA	mg/kg 11/11/21	10 - 160	7.3.4.2

EAI ID#: 235126

^{*/!} Flagged analyte recoveries deviated from the QA/QC limits. Unless noted, flagged data does not impact the sample data.



EAI ID#: 235126

Client: LE Environmental LLC

Sample ID: CS-1 CS-

Sample ID:	CS-1	CS-2					
Lab Sample ID:	235126.07	235126.08					
Matrix:	soil	soil					
Date Sampled:	11/8/21	11/8/21	Analytical		Date of		
Date Received:	11/10/21	11/10/21	Matrix	Units	Analysis	Method Anal	lyst
Arsenic	6.2	4.4	SolTotDr	mg/kg	11/12/21	6020A [os
Barium	140	63	SolTotDry	mg/kg	11/12/21	6020A E	DS .
Cadmium	< 0.5	0.53	SolTotDry	mg/kg	11/12/21	6020A [os -
Chromium	35	19	SolTotDry	mg/kg	11/12/21	6020A [os -
Lead	48	46	SolTotDry	mg/kg	11/12/21	6020A)S
Mercury	< 0.1	< 0.1	SolTotDr	mg/kg	11/12/21	6020A [)S
Selenium	< 0.5	< 0.5	SolTotDry	mg/kg	11/12/21	6020A [DS
Silver	< 0.5	< 0.5	SolTotDr	mg/kg	11/12/21	6020A	DS .
Arsenic	< 0.5	< 0.5	TCLPsolid	mg/L	11/15/21	6020A	DS .
Barium	0.6	0.6	TCLPsolid	l mg/L	11/15/21	6020A [DS
Cadmium	< 0.1	< 0.1	TCLPsolid	l mg/L	11/15/21	6020A [DS
Chromium	< 0.1	< 0.1	TCLPsolid	l mg/L	11/15/21	6020A [DS
Lead	< 0.5	< 0.5	TCLPsolid	l mg/L	11/15/21	6020A [DS
Mercury	< 0.01	< 0.01	TCLPsolid	l mg/L	11/15/21	6020A [DS
Selenium	< 0.1	< 0.1	TCLPsolid	l mg/L	11/15/21	6020A [DS
Silver	< 0.1	< 0.1	TCLPsolid	l mg/L	11/15/21	6020A [DS

QC REPORT



Client: LE Environmental LLC

Client Designation: Pigeon Property | 19-138

				Date of				
Parameter Name	Blank	LCS	LCSD	Units Analysis	Limits RPD	Method		
Arsenic	< 0.5	37 (91 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Arsenic	< 0.5	1.0 (105 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		
Barium	< 0.5	39 (98 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Barium	< 0.5	1.1 (106 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		
Cadmium	< 0.5	39 (97 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Cadmium	< 0.1	1.0 (103 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		
Chromium	< 0.5	38 (94 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Chromium	< 0.1	1.0 (104 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		
Lead	< 0.5	37 (93 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Lead	< 0.5	1.0 (103 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		
Mercury	< 0.1	0.40 (99 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Mercury	< 0.01	0.10 (102 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		
Selenium	< 0.5	39 (97 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Selenium	< 0.1	1.0 (102 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		
Silver	< 0.5	39 (97 %R)	NA	mg/kg 11/12/21	80 - 120 20	6020A		
Silver	< 0.1	1.1 (108 %R)	NA	mg/L 11/15/21	80 - 120 20	6020A		

EAI ID#: 235126

^{*/!} Flagged analyte recoveries deviated from the QA/QC limits. Unless noted, flagged data does not impact the sample data.



Wednesday, November 17, 2021

Attn: Front Office Eastern Analytical 51 Antrim Ave Concord, NH 03301

Project ID:

235126

SDG ID:

GCJ76017

Sample ID#s: CJ76017 - CJ76018

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

Phyllis/Shiller

Laboratory Director

NELAC - #NY11301

CT Lab Registration #PH-0618

MA Lab Registration #M-CT007

ME Lab Registration #CT-007

NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003

NY Lab Registration #11301

PA Lab Registration #68-03530

RI Lab Registration #63

UT Lab Registration #CT00007

VT Lab Registration #VT11301



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

November 17, 2021

SDG I.D.: GCJ76017

Project ID: 235126

Client Id	Lab Id	Matrix	
CS-1	CJ76017	SOIL	
CS-2	CJ76018	SOIL	



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 17, 2021

FOR: Attn: Front Office

Eastern Analytical 51 Antrim Ave Concord, NH 03301

Sample Information

Matrix:

SOIL

Location Code: EASTANAL-NH

Rush Request:

Standard

P.O.#:

TC004

Custody Information

Collected by:

Analyzed by:

Received by:

CP

see "By" below

11/08/21 11/11/21

Date

<u>Time</u> 13:40

'

15:43

56204

Laboratory Data

SDG ID: GCJ76017

Phoenix ID: CJ76017

Project ID:

235126

Client ID:

CS-1

		RL/					
Parameter	Result	PQL	Units	Dilution	Date/Time	Ву	Reference
Percent Solid	83		%		11/11/21	Q	SW846-%Solid
Soil Extraction for Pesticide	Completed				11/11/21	O/E	SW3545A
Soil Extraction for Herbicide	Completed				11/12/21	M/D	SW3546
Chlorinated Herbicide	<u>es</u>						
2,4,5-T	ND	30	ug/Kg	2	11/16/21	JRB	SW8151A
2,4,5-TP (Silvex)	ND	30	ug/Kg	2	11/16/21	JRB	SW8151A
2,4-D	ND	59	ug/Kg	2	11/16/21	JRB	SW8151A
2,4-DB	ND	300	ug/Kg	2	11/16/21	JRB	SW8151A
Dalapon	ND	30	ug/Kg	2	11/16/21	JRB	SW8151A
Dicamba	ND	30	ug/Kg	2	11/16/21	JRB	SW8151A
Dichloroprop	ND	44	ug/Kg	2	11/16/21	JRB	SW8151A
Dinoseb	ND	30	ug/Kg	2	11/16/21	JRB	SW8151A
MCPA	ND	8900	ug/Kg	2	11/16/21	JRB	SW8151A
MCPP	ND	8900	ug/Kg	2	11/16/21	JRB	SW8151A
QA/QC Surrogates							
% DCAA	56		%	2	11/16/21	JRB	30 - 150 %
% DCAA (Confirmation)	71		%	2	11/16/21	JRB	30 - 150 %
<u>Pesticides</u>							
4,4' -DDD	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
4,4' -DDE	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
4,4' -DDT	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
а-ВНС	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Alachlor	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Aldrin	ND	3.9	ug/Kg	2	11/12/21	AW	SW8081B
b-BHC	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B

Project ID: 235126 Client ID: CS-1

Phoenix I.D.: CJ76017

		RL/					
Parameter	Result	PQL	Units	Dilution	Date/Time	Ву	Reference
Chlordane	ND	39	ug/Kg	2	11/12/21	AW	SW8081B
d-BHC	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Dieldrin	ND	3.9	ug/Kg	2	11/12/21	AW	SW8081B
Endosulfan I	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Endosulfan II	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Endosulfan sulfate	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Endrin	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Endrin aldehyde	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Endrin ketone	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
g-BHC	ND	1.6	ug/Kg	2	11/12/21	AW	SW8081B
Heptachlor	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Heptachlor epoxide	ND	7.8	ug/Kg	2	11/12/21	AW	SW8081B
Methoxychlor	ND	39	ug/Kg	2	11/12/21	AW	SW8081B
Toxaphene	ND	160	ug/Kg	2	11/12/21	AW	SW8081B
QA/QC Surrogates							
% DCBP	67		%	2	11/12/21	AW	30 - 150 %
% DCBP (Confirmation)	66		%	2	11/12/21	AW	30 - 150 %
% TCMX	65		%	2	11/12/21	AW	30 - 150 %
% TCMX (Confirmation)	59		%	2	11/12/21	AW	30 - 150 %

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

November 17, 2021

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 17, 2021

FOR: Attn: Front Office

Eastern Analytical 51 Antrim Ave

Concord, NH 03301

Sample Information

SOIL

Custody Information

<u>Date</u> <u>Time</u>

Matrix: Location Code:

EASTANAL-NH

11/08/21 13:50

_ . _

EASTANAL-IN

CP

11/11/21

Rush Request:

Standard

Received by: Analyzed by:

Collected by:

see "By" below

P.O.#:

56204

Laboratory Data

SDG ID: GCJ76017

15:43

Phoenix ID: CJ76018

Project ID:

235126

Client ID:

CS-2

December	5 "	RL/				_	
Parameter	Result	PQL	Units	Dilution	Date/Time	Ву	Reference
Percent Solid	89		%		11/11/21	Q	SW846-%Solid
Soil Extraction for Pesticide	Completed				11/11/21	O/E	SW3545A
Soil Extraction for Herbicide	Completed				11/12/21	M/D	SW3546
Chlorinated Herbicides							
2,4,5-T	ND	28	ug/Kg	2	11/16/21	JRB	SW8151A
2,4,5-TP (Silvex)	ND	28	ug/Kg	2	11/16/21	JRB	SW8151A
2,4-D	ND	56	ug/Kg	2	11/16/21	JRB	SW8151A
2,4-DB	ND	280	ug/Kg	2	11/16/21	JRB	SW8151A
Dalapon	ND	28	ug/Kg	2	11/16/21	JRB	SW8151A
Dicamba	ND	28	ug/Kg	2	11/16/21	JRB	SW8151A
Dichloroprop	ND	42	ug/Kg	2	11/16/21	JRB	SW8151A
Dinoseb	ND	28	ug/Kg	2	11/16/21	JRB	SW8151A
MCPA	ND	8300	ug/Kg	2	11/16/21	JRB	SW8151A
MCPP	ND	8300	ug/Kg	2	11/16/21	JRB	SW8151A
QA/QC Surrogates							
% DCAA	62		%	2	11/16/21	JRB	30 - 150 %
% DCAA (Confirmation)	88		%	2	11/16/21	JRB	30 - 150 %
<u>Pesticides</u>							
4,4' -DDD	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
4,4' -DDE	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
4,4' -DDT	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
a-BHC	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Alachlor	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Aldrin	ND	3.7	ug/Kg	2	11/13/21	AW	SW8081B
b-BHC	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B

Project ID: 235126 Client ID: CS-2 Phoenix I.D.: CJ76018

		RL/					
Parameter	Result	PQL	Units	Dilution	Date/Time	Ву	Reference
Chlordane	ND	37	ug/Kg	2	11/13/21	AW	SW8081B
d-BHC	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Dieldrin	ND	3.7	ug/Kg	2	11/13/21	AW	SW8081B
Endosulfan I	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Endosulfan II	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Endosulfan sulfate	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Endrin	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Endrin aldehyde	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Endrin ketone	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
g-BHC	ND	1.5	ug/Kg	2	11/13/21	AW	SW8081B
Heptachlor	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Heptachlor epoxide	ND	7.4	ug/Kg	2	11/13/21	AW	SW8081B
Methoxychlor	ND	37	ug/Kg	2	11/13/21	AW	SW8081B
Toxaphene	ND	150	ug/Kg	2	11/13/21	AW	SW8081B
QA/QC Surrogates							
% DCBP	58		%	2	11/13/21	AW	30 - 150 %
% DCBP (Confirmation)	62		%	2	11/13/21	AW	30 - 150 %
% TCMX	59		%	2	11/13/21	AW	30 - 150 %
% TCMX (Confirmation)	72		%	2	11/13/21	AW	30 - 150 %

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level QA/QC Surrogates: Surrogates are compounds (preceeded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

November 17, 2021

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 17, 2021

QA/QC Data

SDG I.D.: GCJ76017

Parameter	Blank	Blk RL		CS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
QA/QC Batch 600562 (ug/Kg), (QC San	nple No: CJ76329 10>	((CJ76017, CJ	1760	18)				***	ä.		
Chlorinated Herbicides - S					·							
2,4,5-T	ND	130	7	2	51	34.1	63	60	4.9	40 - 140	30	r
2,4,5-TP (Silvex)	ND	130		- i1	51	17.9	64	63	1.6	40 - 140	30	Į
2,4-D	ND	250		7	55	19.7	64	62	3.2	40 - 140	30	
2,4-DB	ND	2500		9	49	18.5	69	62	10.7	40 - 140	30	
Dalapon	ND	130		4	65	1.6	38	43	12.3	40 - 140	30	
Dicamba	ND	130	7		66	7.3	63	61	3.2	40 - 140	30	
Dichloroprop	ND	130	7		60	16.8	69	68	1.5	40 - 140	30	
Dinoseb	ND	130	6		56	8.5	55	56	1.8	40 - 140	30	
MCPA	ND	38000		7	46	21.4	61	55	10.3	40 - 140	30	
MCPP	ND	38000		5	53	20.3	64	61	4.8	40 - 140	30	
% DCAA (Surrogate Rec)	74	%		2	64	11.8	68	68	0.0	30 - 150	30	
% DCAA (Surrogate Rec) (Confirm Comment:	65	%		8	68	13.7	72	71	1.4	30 - 150	30	
Additional criteria: LCS acceptance	e range	s 40-140% MS acceptar	nce range 30-15	0%.								
QA/QC Batch 600358 (ug/Kg), C	QC San	ple No: CJ75860 2X	(CJ76017, CJ7	601	8)							
Pesticides - Soil												
4,4' -DDD	ND	1.7	7	5	74	1.3	55	55	0.0	40 - 140	30	
4,4' -DDE	ND	1.7		2	75	4.1	62	61	1.6	40 - 140	30	
4,4' -DDT	ND	1.7	6		69	1.5	65	61	6.3	40 - 140	30	
a-BHC	ND	1.0	7		82	7.6	58	55	5.3	40 - 140	30	
Alachlor	ND	3.3	Ņ		NA	NC	NA	NA	NC	40 - 140	30	
Aldrin	ND	1.0	7		77	4.0	54	53	1.9	40 - 140	30	
b-BHC	ND	1.0	8		85	4.8	59	59	0.0	40 - 140	30	
Chlordane	ND	33	7		76	4.0	54	52	3.8	40 - 140	30	
d-BHC	ND	3.3	6		71	2.9	51	50	2.0	40 - 140	30	
Dieldrin	ND	1.0	7		79	3.9	55	55	0.0	40 - 140	30	
Endosulfan I	ND	3.3	7		85	12.5	59	58	1.7	40 - 140	30	
Endosulfan II	ND	3.3	7		80	2.5	59	61	3.3	40 - 140	30	
Endosulfan sulfate	ND	3.3	7		78	1.3	58	56	3.5	40 - 140	30	
Endrin	ND	3.3	7		77	2.6	58	57	1.7	40 - 140	30	
Endrin aldehyde	ND	3.3	6		65	4.7	52	51	1.9	40 - 140	30	
Endrin ketone	ND	3.3	6		71	2.9	54	51	5.7	40 - 140	30	
g-BHC	ND	1.0	8		86	3.6	71	73	2.8	40 - 140	30	
Heptachlor	ND	3.3	7		82	3.7	59	58	1.7	40 - 140	30	
Heptachlor epoxide	ND	3.3	7.		75	4.1	52	52	0.0	40 - 140	30	
Methoxychlor	ND	3.3	6		71	2.9	52	49	5.9	40 - 140	30	
Toxaphene	ND	130	N.		NA	NC	NA	NA	NC	40 - 140	30	
% DCBP	87	%	8		84	0.0	61	61	0.0	30 - 150	30	
% DCBP (Confirmation)	62	%	6		59	1.7	45	43	4.5	30 - 150	30 30	
% TCMX	94	%	8:		92	3.3		43 66				
70 1 OH1/A	J 4	70	8	J	32	ა.ა	68	00	3.0	30 - 150	30	

QA/QC Data

SDG I.D.: GCJ76017

Parameter	Blk Blank RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
% TCMX (Confirmation)	88 %	85	87	2.3	64	67	4.6	30 - 150	30	_

r = This parameter is outside laboratory RPD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference

Phyllis/Shiller, Laboratory Director

November 17, 2021

Wednesday, November 17, 2021

Criteria: None State: VT

SampNo Acode

*** No Data to Display ***

Phoenix Analyte

Criteria

Result

굗

Criteria

Criteria

Analysis Units

Sample Criteria Exceedances Report

GCJ76017 - EASTANAL-NH

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc. 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045

Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

November 17, 2021

SDG I.D.: GCJ76017

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

CHAIN-OF-CUSTODY RECORD

MCIP

Eastern Analytical, inc. 5 professional laboratory and drilling services e e graph 235126

Page 1

Page 1

EAI ID# 235126

Sample ID	Date Sampled Matrix	atrix aParameters	Sample Notes	
CS-1	11/8/2021 soil	Subcontract - Herbicides 8151A		
CS-2	11/8/2021 soil	Subcontract - Herbicides 8151A	76018	

Phone #	Account #	Address	Address	Company		EXI 10# 4	FA: 17# 325436
Phone # (860) 645-1102		Manchester, CT 06040	587 East Middle Turnpike	Phoenix Environmental Labs	riojectio, aror	<u>ק</u>	
- '	The Tree of the Control	Add Jost por procei	Email login confirmation, pdf of results and invoice to customerservice@easternanalytical.com.	Notes about project:	□A □A+ 図B □B+ □C □MAMCP	RUSH Due Date:	Results Needed: Preferred Date: Standard
mas Volker	Relinquished		Can prorto a		Excel NH E	Data Deliverab	IPO #:56204

_	PO #:56204	Ē	EAI ID# 235126
ı	Data Deliverable ((circle)	
유	Excel NH EMD	EQuIS	ME EGAD

nalyzing, if RUSH charges will be applied.

Relinquished by	Exal Vollar	Relinquished by	Samples Collected
11 Date/Time	1/11/21-1130 C	Date/Time	My 1-0759
Received by		Received by	freed Vorthe

Eastern Analytical, Inc. 51 Antrim Ave Concord, NH 03301

Phone: (603)228-0525

1-800-287-0525

customerservice@easternanalytical.com

CHAIN-OF-CUSTODY RECORD

Pageof		B	5	CHAIN-C BOLD FIELDS REQUIRED.	CHAIN-OF-CUSTODY RECORD REQUIRED. PLEASE CIRCLE REQUEST	RED	- P	F-CUSTODY RECOR PLEASE CIRCLE REQU	SE (70 m		RD ESTED ANALYSIS	Ö	Ž	3 5	SIS.		3	<u> </u>	1			23	4	23	235126	26				6 of 36
SAMPLE I.D.	SAMPLING DATE/TIME *IF COMPOSITE, INDICATE BOTH START & FINISH DATE/TIME	MATRIX (SEE BELOW)	GRAB/*COMPOSITE	524.2 524.2 MTBE ONLY 6260 624 VTICS I, 4 DIOXANE 8021	8015 GRO MAVPH	8270 625 ABN PAH EDB DBCP	TPH8100 LI L2	8015 DRO MAEPH	PEST 608 PCB 608 PEST 8081 PCB 8082	OIL & GREASE 1664 TPH 1664	TCLP 1311 ABN METALS VOC PEST HERB	BOD CBOD TS TSS TDS BR CI F SO ₄	NO ₂ NO ₃ NO ₃ NO ₂	TKN NH₃ TN T. PHOS. O. PHOS.	pH T. RES. CHLORINE	SPEC. CON. T. ALK. COD PHENOLS TOC DOC	Total Cyanide Total Sulfide	REACTIVE CYANIDE REACTIVE SULFIDE FLASHPOINT IGNITABILITY	FLASHPOINT IGNITABILITY TOTAL COLIFORM E. COLI	FECAL COLIFORM .	HETEROTROPHIC PLATE COUNT	DISSOLVED METALS (LIST BELOW)	TOTAL METALS (LIST BELOW)	Herbicides 8151A		pH			# of Containers	N OTES	OT!	# **	Page
South	11/8/21:1300					(2									i k												55066	96	6	·
north	11/8/2, 1305	N	5	X															<u> </u>											55070	2	C	
Nest	118/21 1307	5	5	Χ.																									••••	55050	0	0	
DAS+	11/6/21 / 1312	5	3	X																									_	55067	90		
あるまる	11/8/21/1320	6	5	×																ļ								ļ	1786.744	55068	06	cd.	
Displipate	11/8/2/1320	5	\$	メ								٥							-		<u> </u>							ļ		55060	0	Ö	
C\$-1	11/8/21 1340	u	0	×		×	又		\times		X							 , 	1	X			\times	$\overline{\times}$	X	Ť	_	. ~	S	2%	5506	O	•
C5-2	11/8/21 .1350	5	<u>C</u>	X		\times	X		X.	<i>y</i>	X								1				X	X	×	<u> </u>			1	5	55069	عتا	
											<u>X</u>										12 pm	,											
MATRIX: A-AIR, S-SOIL; GW-GROUND WATER; SW-SURFACE WATER, DW-DRINKING WATER, WW-WASTE WATER PRESERVATIVE: H-HCL; N-HNO ₃ ; S-H ₂ SO ₄ ; Na-NaOH; M-MEOH	ts SW-Surface Water, DW-DRINKI ta-NaOH; M-MEOH	NG WAT	F F																														
PROJECT MANAGER: Aingala Evnerson. COMPANY: LE Environmental LLC ADDRESS: 21 N. Main St. Minit # 1	Angola Emerson ironmental LLC				QA/QC REPORTING A B C	ν (Č	C EPOR	S. C.	w	P.E	REPORTING OPTIONS PRELIME YES OR NO		OPTI)or 1	NO SNO!	***	≓	URN / 24hr*	Turn Around Time 24hr* 48hr* 3-4 Days*	ND Tir 48hr* ys*	* =		MET OTHE	METALS: (OTHER METALS:		RCRA)13 PP	+	,	FE, MN		PB, CU	, –
OTT: Materbury PHONE: 802-917-2001	ATE. VT	ZIP: OF	0527		TEMP.	MA MCP		ů	R	E	ELECTRONIC OPTIONS PDF EXCEL EQUIS	Equis (EXCEL S	SNO		(3	Day) 7 10 Day	7 Day _I y	ау		Note	SAMPLES FIELD FILTERED? NOTES: (IE: SPECIAL DETECTION LIMT	PECIA			RED?	rs, Bil	LING	SAMPLES FIELD FILTERED? YES NO NOTES: (IE: SPECIAL DETECTION LIMITS, BILLING INFO, IF DIFFERENT)	<u> </u>	No ERENT)	_,_
IME PLACEM FOR	/ E				ICE? (NO NO		<u></u>	- 01	OTHER _			.		Ž Ž	e-app	*Pre-approval Required)	lired	1												
NH. MA Ry Program: NPD GWP, Oil Fun	POTW STORMWATER OR NELD ON OTHER:				RELINQUISHED BY:	SE ST	BY	BY:			2	_	12 N 2	7					Mar 7	11/2 3	1 \1	SITE !	SITE HISTORY: Folling	<u> </u> 2/	(i)	Ψ. _Λ	JA.	Halling					
Quote #:	TO #:				RELINQUISHED BY:		אַם פּי		_	DATE:					2 2	RECEIVED BY-	₹ .				<u> </u>	Suspe	CTED (ONTAI		ع الح	- 10	SUSPECTED CONTAMINATION: UNS LINES	g [r	ξ,			•
				- Fig	RELINQUISHED BY:	ISHE	BY	••	_	DATE:		_	IME:		좄	RECEIVED BY:	BY:						KEAD	Nes:	5	j		0	b	HELD KEADINGS: Up to 1201 ppin	ſ		•

Eastern Analytical, Inc. professional laboratory and drilling services

51 Antrim Avenue | CONCORD, NH 03301 | TEL: 603.228.0525 | I.800.287.0525 | E-MAIL: CUSTOMERSERVICE@EASTERNANALYTICAL.COM | WWW.EASTERNANALYTICAL.COM | WWW.EASTERNANALYTI

ESMI NY 304 Towpath Ln Ticket: 2682256

Date

Time Scale

ESMINY

Fort Edward, NY 12828

In: 12/10/2021 12:45:55

Ph: Fax:

Out: 12/10/2021 12:45:55 ESMINY

Manifest: 7550-121021-01 Vehicle: BARRETT 128 83

Lbs Gross: 91880.00 45.94 Tare: 35440.00 17.72

Decal:

Net: 56440.00 28.22

Customer: National Response Corp Carrier:
Generator: Pigeon Property Profile #: 213301353
Address: 1701 Rte 128
WILLISTON, VT 05495 Address: 1701 Rte 128

Job: Pigeon Property -Westford

WESTFORD, VT Ø5494

Material: Recyclable soil/rock/material

Facility: ESMI NY

Donella Fisher

603581

Driver: Comment:

CLEAN EARTH INTERNAL

Original—Not Negotiale (Name of Corner) (Name	NOTICE: Ship	HT BILL OF LADING – ppers of hazardous materials mus	t enter 24 hour consesses	Date	12/10/2	i			21021-	
Consignee Clean Fault Street 304 Targoth Lane 304 Targoth La	Original—	-Not Negotiable	y Response Phone Number.					-		
Street 304 Tarpath Lane Street 305 Tarpath La			(N	ame of Carrier)						
Street: 304 Tarpath Low: Street: 304 Tarpath Low: Street: 304 Rt 134 Destination Fort Faward NY Zip Code 13738 Origin Westford Y Zip Code 05475 Route: Street: 304 Rt 134 Street: 30	TO: Consignee	Clear Farll		FROM	1: D	P	-1 /	,	0	
Wehicle No. Shipping HM Kind of Packaging. Description of Articles Special Marks and Exceptions	Street	304 Trwonth Lane			er lige	امر المع	12-6	corgi	Pigeon	
Vehicle No. Shipping HM Kind of Packaging. Description of Articles Special Marks and Exceptions Special Marks and Exception of Articles Special Marks and Exceptions Special Marks and	Destination	Fort Edward NY	Zin Code 128)	er	1401	Kte	118	_	-11	
Shipping Sinits If the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner was the shipment moves between two ports by a corner of the shipment moves between two ports by a corner or was the shipment moves between two ports by a corner or was the shipment moves between two ports by a corner or was the shipment without payment of reight and all other by the shipper to be not exceeding which are shipment was the shipment without payment of reight and all other by the shipper to be not exceeding the shipment without payment of reight pregion to be not exceeding the shipment without payment of reight pregion to be not exceeding the shipment without payment of reight pregion to be not exceeding the shipment without payment of reight pregion to exceed a ship of the shipper was the sh				C Jurigin		sora V				
Units Special Marks and Exceptions with white and the property of the second property of		Kind of Packaging, Descripti	on of Articles Commodities requir	ring special or additional	man or attention	in handling or	Pho	ine Numbi	ecaponae esponae	
"If the shipment moves between two ports by a carrier by water, the law nequires that the bill of lading [C.O.D. TO: ADDRESS] C.O.D. C.O.D. FEE: TOTAL	Units	Special Marks and Exc	entione stowing must be so m	larked and nackaned as	by prictice cate too	rates not retired twick	(Subject to	Rate	or Class	CHARGES
*If the shoment moves between two ports by a carrier by water, the law enquires that the bill of leding [C.O.D. To: C.O.D. To: C.O.D		(11:								
"If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading C.O.D. To: state whether weight is "carrier's or shipper's weight." ADDRESS Amt. \$ C.O.D. FEE: PREPAID CHARGES: \$ Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding by the shipper to be not exceeding. The specific property is hereby specifically stated by the shipper to be not exceeding. The specific property is hereby specifically stated by the shipper to be not exceeding. The specific property is hereby specifically stated by the shipper of benefit or specific property is hereby specifically stated by the shipper of benefit property. The specific property is hereby specifically stated by the shipper of specific property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property of the shipper property		(3501.ne-co	interminated Soil	1						
"If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading C.O.D. To: state whether weight is "carrier's or shipper's weight." ADDRESS Amt. \$ C.O.D. FEE: PREPAID CHARGES: \$ Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding by the shipper to be not exceeding. The specific property is hereby specifically stated by the shipper to be not exceeding. The specific property is hereby specifically stated by the shipper to be not exceeding. The specific property is hereby specifically stated by the shipper of benefit or specific property is hereby specifically stated by the shipper of benefit property. The specific property is hereby specifically stated by the shipper of specific property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property is hereby specifically stated by the shipper of benefit property of the shipper property							10 11	6	,	
Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor, the consignor, the consignor shall sign the following statement. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor, the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other charges. FRECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted carrier (the word carrier being understood throughout this contract as meaning a destination. It is mutually in the property under the contract of all or any of said property over all or any portion of said route to destination and as to each party at given to another carrier on the route to destination of the said bill of lading, set forth in the classification or tariff, if this is a motor carrier shipment, Shipper hereby certifies that he is familiar to a population spowering the transportation of heart dous materials and Bill of Lading part of the property over all or any portion of said route to destination and as to each party at given to another carrier on the route to destination and as to each party at given to another carrier on the route of the said bill of lading, set forth in the classification or tariff, if this is a motor carrier destination and as to each party at given to another carrier on the route of heart and conditions of the said bill of lading, set forth in the classification							18,22	tons		
Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor, the consignor, the consignor shall sign the following statement. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the course on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other charges. FRECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted carrier (the word carrier being understood throughout this contract as meaning a sestination. It is mutually an extension of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, if it is is a reli or a relivance of consignor. In a condition of the classification and as to each party at given to another carrier on the route of the contract of the said bill of lading, set forth in the classification or tariff with given the transportation of the said bill of lading, set forth in the classification or tariff with given the transportation of the said bill of lading, set forth in the classification or tariff with given the transportation of the said bill of lading, set forth in the classification or tariff with given the transportation of the simpler and conditions of the lading has been property over all or any portion of said route to destination and as to each party at given to another carrier on the route classification or tariff, if thi										/
Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without The agreed or declared value of the property. The carrier shall not make delivery of this shipment without payment of freight and all other charges. FRECENED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted carrier (the word carrier being understood throughout this contract as meaning a lestination. It is mutually and the property under the contract agrees to carry to its usual place of delivery at said destination, if no its rottle. It is mutually and the property under the contract agrees to carry to its usual place of delivery at said destination, if no its rottle destination and as to each party at given to another carrier on the router, that every service to be performed the contract of all or any of said property over all or any portion of said route to destination and as to each party at given to another carrier on the router of the date hereoff, if this is a rail or a roll or any portion of said route to destination and as to each party at given to another carrier on the router of the date hereoff, if the said bill of lading, set forth in the classification or tariff, if this is a motor carrier shipment. Shipper hereby certifies that he is family be applicable motor carrier classification or tariff, if this is a motor carrier shipment. Shipper hereby certifies that he is family be applicable in the column is a popular method for identifying hazardous materials. The use of								1		
Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor, the consignor, the consignor shall sign the following statement. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor, the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other charges. FRECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted carrier (the word carrier being understood throughout this contract as meaning a destination. It is mutually in the property under the contract of all or any of said property over all or any portion of said route to destination and as to each party at given to another carrier on the route to destination of the said bill of lading, set forth in the classification or tariff, if this is a motor carrier shipment, Shipper hereby certifies that he is familiar to a population spowering the transportation of heart dous materials and Bill of Lading part of the property over all or any portion of said route to destination and as to each party at given to another carrier on the route to destination and as to each party at given to another carrier on the route of the said bill of lading, set forth in the classification or tariff, if this is a motor carrier destination and as to each party at given to another carrier on the route of heart and conditions of the said bill of lading, set forth in the classification										
Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor, the consignor, the consignor shall sign the following statement. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor, the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other charges. FRECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted carrier (the word carrier being understood throughout this contract as meaning a destination. It is mutually in the property under the contract of all or any of said property over all or any portion of said route to destination and as to each party at given to another carrier on the route to destination of the said bill of lading, set forth in the classification or tariff, if this is a motor carrier shipment, Shipper hereby certifies that he is familiar to a population spowering the transportation of heart dous materials and Bill of Lading part of the property over all or any portion of said route to destination and as to each party at given to another carrier on the route to destination and as to each party at given to another carrier on the route of the said bill of lading, set forth in the classification or tariff, if this is a motor carrier destination and as to each party at given to another carrier on the route of heart and conditions of the said bill of lading, set forth in the classification										
Charges: \$ Note-Where the rate is dependent on value, shippers are required to state specifically in writing the greed or declared value of the property. The agreed or declared value of the property. The agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other charges. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other charges. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other charges. Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignor with the consignor, the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment is to be delivered to the consignor shall sign the following statement. The carrier shall not make delivery of this shipment is to be delivered to the consignor shall sign the following statement. The carrier shall not make delivery of this shipment is to be delivered to the consignor shall sign the following statement. The carrier shall not make delivery of this shipment is to be delivered to the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight nad all other charges of the consignor. The carrier shall not make delivery of this shipment without payment of frei	*If the shipmen	nt moves between two ports by a	REMIT							
Note-Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding S per Signature of Consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carrier shall not make delivery of this shipment without payment of freight and all other carriers shall not make delivery of this shipment without payment of freight and all other carriers shall not make delivery of this shipment without payment of freight and all other carriers shall not make delivery of this shipment without payment of freight and all other carriers shall not make delivery of this shipment without payment of freight and all other carriers shall not make delivery of this shipment without payment of freight and all other carriers shall not make delivery of this shipment without payment of freight and all other carriers shall not make delivery of this shipment without payment of freight and all other carriers shall not the consignor, the consignor, the consignor shall sign the following payment and active the constance of the consignor. FRECEIVED, subject to the classification in all other shall be subject to all or any of the issue of this collection. I						PREPAID				
The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges. The carrier shall not make delivery of this shipment without payment of freight and all other charges noted destination. If on its route of the carrier on the roughout this contents are noted of setting the destination of the said carrier being understood throughout this contents are noted of destination, if on its route of the carrier of the	Note-Where ti	the rate is dependent as well a -ti-	s are required to Subject to Se	ection 7 of the condit	ione if this chie		Later and the same			
RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted recording to contents of packages unknown), marked, consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning as estination. It is mutually agreed as to each carrier of all or any of, said property over all or any portion of said route to destination, if on its route, otherwise to deliver to another carrier on the rout rout, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading as to each party at any time interested in all or any of the date hereof, if this is a rail or a rail-water shipment or (2) in the applicable motor carrier classification or tariff, if this is a motor carrier shipment. The property over all or any portion of said route to destination and as to each party at any time interested in all or any of the said bill of lading, set forth in the classification or tariff, if this is a motor carrier shipment. Shipper hereby certifies that he is familiarly the properties of the said bill of lading, set forth in the classification or tariff, with "RiO" if appropriate to designate Hazardous Materials as defined in the U.S. Department of any portion of this shipment, and the said terms and conditions are hereby agreed that the said terms and conditions are nereby agreed that the said terms and conditions are recorded for identifying hazardous materials. The use of this column is no appropriate to designate Hazardous Materials as described in 49 Code of Federal Regulations, also when shipping hazardous materials. The use of this column is no appropriate to the said bill of Lading does apply, laces a specific according from the requirement is provided in the Regulation for a particular material. CARRIER Baxwell To Country that the above paged of the fol	The agreed or	declared value of the property is baroby	specifically stated The carrier s	and delinging in the ci	original stigil s	idii the followir	10 statement			
The format and content of hazardous designate Hazardous Materials as defined in the U.S. Department of passportation governing the transportation of hazardous materials. The use of this column is no piconal method for identifying hazardous materials on Bills of Lading per 172.201(a)(1) (iii) of Tale 49 and 6 Federal Regulations. Also when shipping hazardous materials, the shipper's certification statement received in section, 172.204(a) of the Federal Regulation, in indicated on the Bill of Lading does apply. Indicated on the Bill of Lading doe	\$		charges.				payment of freight	and an our		
The lormal and content of hazardous designate Hazardous Materials as defined in the U.S. Department of an optional method for identifying pazardous materials on Bills of Lading per 172.201(a)(1) of Tide 49 to except the distribution of redereal Regulations. Also when shipping hazardous materials, the shipper's certification statement received in section 172.204(a) of the Federeal Regulations, and shipping hazardous materials, the shipper's certification statement received in section 172.204(a) of the Federeal Regulation is indicated on the Bill of Lading does apply, aless a specific Asception from the requirement is provided in the Regulation for a particular material. SHIPPER CARRIER Barnett Tike Co. 19 Acustin Or. Built-Value Company interpretation of requirements as described in 49 Code of Federal Regulations or damage in this second 172, 2014 and 20	RECEIVED	, subject to the classifications and lawfu	ly filed tariffs in effect on the date	on the issue of this	(Signature	of Consignor)			Col	ect
The format and content of hazardous designate Hazardous Materials as defined in the U.S. Department of passportation governing the transportation of hazardous materials. The use of this column is no piconal method for identifying hazardous materials on Bills of Lading per 172.201(a)(1) (iii) of Tale 49 and 6 Federal Regulations. Also when shipping hazardous materials, the shipper's certification statement received in section, 172.204(a) of the Federal Regulation, in indicated on the Bill of Lading does apply. Indicated on the Bill of Lading doe	estination in estination. It is rty, that every some date hereof, no terms and componer and acceptance.	currients or packages unknown), marker in possession of the property under the of s mutually agreed as to each carrier of service to be performed hereunder shall if this is a rail or a rail-water shipment conditions of the said bill of lading, set for the for himself and bill excisors.	consigned, and destined as indic ontract) agrees to carry to its us all or any of, said property over a be subject to all the terms and c or (2) in the applicable motor ce orth in the classification or tariff	cated above which salual place of delivery all or any portion of soonditions of the Uniferrier classification or which governs the tr	aid carrier (the at said destinat said route to de form Domestic S tariff, if this is	word carrier by ion, if on its no stination and a Straight Bill of a motor car this shipment.	escribed above in ap- eing understood thro- oute, otherwise to d is to each party at a Lading set forth (1) rier shipment. Shipp and the said terms	parent good oughout this leliver to and any time int in Uniform wer hereby o	order, except contract as other carrier of erested in all Freight Classif ertifies that h	as noted (content meaning any persoi on the route to said or any of said propi cations in effect of e is familiar with a
n optional method for identifying hazardous instancials. The use of this column is no optional method for identifying hazardous instancials on Bills of Lading per 172.201a(1)(1) (ii) of Titls 49 toos of Federal Regulations. Also when shipping hazardous materials, the shipper's certification statement rescribed in section 172.201a(1) (iii) of Titls 49 toos 172.201a	nark with "HG" if	appropriate to designate Hazardous Materia	is as defined in the U.S. Department	of The format and o	content of hazardo	us itness fire in the	warmannihila out to Italia			
SHIPPER Hory of the the above pared possible are reserved by the control of the c	ode of Federal Ro	roll identifying nazarobus materials on Hills of	Lading per 172.201(a)(1) (iii) of Title	49 172, Subpart C-S	on of requirements Shipping Papers, S Hazardous Materi	as described in uch description of al Table) and Sec	49 Code of Federal Reconsists of the following	gulations o	r damage i	in this shipmen
PER PATURELLY	SHIPPER	ception from the requirement is provided in the	Regulation for a particular material.		ass(es).			1	4706(c (1)(/	A) and (B).
This is to certify that the above named meterials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the		104 - 1 H		CARRIER (anett,	116.00	. 18 au	stin (Dr. Bu	W- 4.
	This is	is to certify that the above named mater	ials are properly classified, package	ged, Carrier acknow	ledges receipt of	packages and	any required placards	. Carrier cer	tifies emergen	cy response informa
applicable regulations of the Land Department of Transportation engineering and the Commentation in the vehicle. Property described abscribed absc	applic	pole regulations of the B. Department of	f Transportation.	or equivalent d	available and/or ocumentation in	carrier has the the vehicle. Pro	U.S. Department of operty described above	Transportative is received	ion enlergency in good order	response guidebook except as noted.
530038 17-110/21	11	n C. yyu		53007	8		17	-110	121	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

ESMI NY Ticket: 2682274 304 Towpath Ln Date Time Scale Fort Edward, NY 12828 In: 12/10/2021 12:47:15 ESMINY Ph: Fax: Out: 12/10/2021 12:47:15 ESMINY Manifest: 7550-121021-02 Lbs Tn Gross: 95060.00 47.53 Vehicle: BARRETT 147 48 Tare: 35140.00 17.57 Decal: Net: 59920.00 29.96 Customer: National Response Corp Carrier:
Generator: Pigeon Property Profile #: 213301353

Address: 1701 Rte 128

WILLISTON, VT 05495 Address: 1701 Rte 128

Material: Recyclable soil/rock/material

Facility: ESMI NY Driver: Donella Fisher 603581 Comment:

CLEAN EARTH INTERNAL

WESTFORD, VT Ø5494

NOTICE: Shippers response telephor	BILL OF LADING - SH of hazardous materials must ent ne number under "Emergency Res	er 24-hour emergency	Date	yiola	21	Bill of La	iding No		1-02
Original—Not	Negotiable		10			Carrier I	Vo		
TO:	r	(Name	of Carrier) FROM:		-	7.41.010.017			
Consignee Cle			Shipper	Pise	ion Prope	sty - Go	Me Pis	esn	
Street 304	Toward Lane + Edward NY		Street	1701	Rt. 12	8	0		
Destination F	tEdward NY	Zip Code 12818	Origin	West	Hard V	T Zin C	ode 05	495	
Route:		Vehicle No.	- Jongin	SCAC	a j	Eme	rgency Res	oonse	
No.	Kind of Packaging, Description of	200000000000000000000000000000000000000	necial or additional ca		n in handling or		ne Number		
Shipping +HM	Special Marks and Exception		d and packaged as to	ensure safe tr	ransportation with	Weight (Subject to Correction)*	Rate or	Class	CHARGES
	Gasolne-contani	nated Soils							
				(29.96	tons	- '	
		E.		(
1 1									
							8		
	e e								
carrier by water, the	law requires that the bill of lading C.C.	MIT J.D. TO: IDRESS	C.O.D. Amt. \$		C.O.D. FEE: PREPAID COLLECT	\$	TOTAL CHARGES:	\$	
Note-Where the ra	te is dependent on value, shippers an		n 7 of the conditio	ns, if this sh	nipment is to be d	elivered to the cons			GHT CHARGES
The agreed or decla	writing the agreed or declared value of red value of the property is hereby spec	the property. recourse on the	consignor, the cor	isignor shall	I sign the following	g statement. payment of freight	2	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Appropriate Box:
by the snipper to be	not exceeding	charges.		,	.,	payment of it digital	aria dii dariai	☐ Fre	ight prepaid
\$	per			(Signatu	ure of Consignor)			☐ Coll	lect
and condition of conte or corporation in post destination. It is mut erty, that every servic the date hereof, if thi the terms and conditi shipper and accepted it	ject to the classifications and lawfully file ants of packages unknown), marked, co assision of the property under the contrue ually agreed as to each carrier of all or et to be performed hereunder shall be s is is a rail or a rail-water shipment or l ons of the said bill of ladding, set forth or himself and his assigns.	ad tariffs in effect on the date of nsigned, and destined as indicate act) agrees to carry to its usual any of, said property over all or subject to all the terms and conc (2) in the applicable motor carrie in the classification or tariff which	the issue of this led above which said place of delivery are any portion of saditions of the Unifor classification or ch governs the training the said of the control of the classification or the training the said of the control of	Bill of Lading d carrier (the t said desting id route to rm Domestic tariff, if this nsportation	g, the property de ne word carrier be nation, if on its red destination and a c Straight Bill of its a motor car of this shipment,	escribed above in ap- eing understood throute, otherwise to be to each party at a Lading set forth (1) rier shipment. Shipp and the said terms	parent good obughout this celiver to another the inter- in Uniform Free hereby cer and condition	order, except contract as her carrier of ested in all reight Classif tifies that h hs are here	as noted (contents meaning any person on the route to said or any of said propications in effect on e is familiar with all by agreed to by the
Transportation Regulation an optional method for in Code of Federal Regulation	priate to designate Hazardous Materials as seconding the transportation of hazardous fentifying hazardous materials on Bills of Lodi ons. Also when shipping hazardous materials, 2 204(a) of the Federal Regulations, as indic- in from the requirement is playided in the Reg	materials. The use of this column is ng per 172,201(a)(1) (iii) of Title 49 the shipper's certification statement	pany interpretation 172, Subpart C-Sh tions 172,201 (H	of requirement hipping Papers azardous Mat ame, hazardo	ents as described in s. Such description of terial Table) and Se	e responsibility of individ 49 Code of Federal Re- consists of the following ctions 172,202 and 1 fication number, packin	per Sec- 72.203: ma	damage v be apr	limitation for loss in this shipment dicable. See 49 s Code, Sections A) and (B).
SHIPPER /12	a Hagen		CARRIER					745	
PER	11.		PER						
This is to opked, a applicable	oscify that the above named materials and labeled, and are in proper condition for regulations at the U.S. Department of Tra	are properly classified, packaged or transportation according to the ansportation.	Carrier acknowle tion was made a or equivalent do	cumentation	t of packages and /or carrier has th yin the vehicle. Pr	any required placards e U.S. Department of operty described abo	s. Carrier certi Transportatio ve is received	fies emerger n emergenc in good orde	ncy response informa- y response guidebook r, except as noted.

ESMI NY 304 Towpath Ln

Fort Edward, NY 12828 In: 12/10/2021 14:03:14 ESMINY

Ph: Fax:

Manifest: 1-11121021 Vehicle: Barrett 138 Tare: 35120.00 17.56 Decal:

Customer: National Response Corp Carrier:
Generator: Pigeon Property Profile #: 213301353
Address: 1701 Rte 128
WILLISTON, VT 05495
Address: 1701 Rte 128
WESTFORD, VT 05494

Ticket: 2682461

Date Time Scale

Out: 12/10/2021 14:03:14 ESMINY

Lbs

Tn Gross: 80880.00 40.44

Net: 45760.00 22.88

Material: Recyclable soil/rock/material

Driver: Comment:

Facility: ESMI NY

Donella Fisher

603581

CLEAN EARTH INTERNAL

STRAIGHT BILL OF LADING – SHORT FORM NOTICE: Shippers of hazardous materials must enter 24-hour emergency response telephone number under "Emergency Response Phone Number. Original—Not Negotiable						[- 2 02 Bill of Lading No Shipper No												
										TO: (Name of Carrier)					Carrier No			
										Consignee Clean Eath		FROM:	0		4. 0		4	
Street 304 Towpath Lane		Shipper	Pige	on Trope	11-G	eorge	PIGEDA											
Destination 1 37 / 1 1 1 1	1207)	Street	14.0	1 Re 1	28													
Route:	Code /2828	Origin	Wes	ford	VT Z	ip Code	05475											
Ne	icle No.		SCAC		E	mergenc	y Response											
Inite Special Marks and Evapations	stowing must be so mark	ring special or additional care or attention in handling or tarked and packaged as to ensure safe transportation with			Weight (Subject t													
	ordinary care. See Section	2(e) of National Motor	Freight Class	ification, Item 360	Currection	70	Rate or Class	CHARGES										
Gasoline contaminated Soil					22.8	8 Fon	1)											
Constitute multiplication Stil																		
it is																		
If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading ctate whether weight is "carrier's or shipper's weight".		C.O.D. C.O.D. FEE:				TOTAL												
ADDRESS		Amt. \$ PREPAID COLLECT			CHARGES: \$													
Note-Where the rate is dependent on value, shippers are required tate specifically in writing the agreed or declared value of the prope		on 7 of the conditions	s, if this sh			nnsignee w												
The agreed or declared value of the property is hereby specifically sta by the shipper to be not exceeding		consignor, the cons						GHT CHARGES										
per	charges.	The make delivery	or uns si	ipment without	payment of freig	ht and all		Appropriate Bo										
RECEIVED, subject to the electification and by All the	(Signature of Consignor)				☐ Freight prepaid													
d condition of contents of packages unknown), marked, consigned, are corporation in possession of the property under the consigned, are	n effect on the date of and destined as indicate	the issue of this Bil	of Lading	the property de	scribed above in	apparent g	ood order, except	as noted (conter										
stination. It is mutually agreed as to each carrier of all or any of, s, y, that every service to be performed hereunder shall be subject to	to carry to its usual aid property over all or	place of delivery at any portion of said	said destina	ation, if on its re	oute, otherwise to	throughout deliver to	another carrier	meaning any person the route to sa										
date hereof, if this is a rail or a rail-water shipment or (2) in the terms and conditions of the said bill of lading, set forth in the class	and cond applicable motor carrie	litions of the Uniform r classification or ta	Domestic riff, if this	Straight Bill of is a motor car	ading set forth	(1) in Unifor	interested in all	or any of said pro- fications in effect										
RECEIVED, subject to the classifications and lawfully filed tariffs in discondition of contents of packages unknown), marked, consigned, are conjugated in possession of the property under the contract) agrees strination. It is mutually agreed as to each carrier of all or any of, so y, that every service to be performed hereunder shall be subject to date hereof, if this is a rail or a rail-water shipment or (2) in the atterms and conditions of the said bill of lading, set forth in the class open and accepted for himself and his assigns. k with "RG" if appropriate to designate Hazardous Materials as defined in its portation Regulations agreement the temperatures with the same properties.	Simedelon of Larin Which	n governs the trans	portation o	f this shipment,	and the said ter	ms and co	nditions are here	e is familiar with by agreed to by t										
isportation Regulations governing the transportation of hazardous materials. T	he use of this column is	The format and conte	ent of hazard	lous item list is the	responsibility of Ind	ividual com-	Note: Liability	limitation for lo										
e of Federal Regulations. Also when shipping hazardous materials, the shipper scribed in section 172,204(a) of the Federal Regulations.	pany interpretation of requirements as described in 49 Code of Federal Regulat 172. Subpart C-Shipping Papers. Such description consists of the following per- tions 172.201 (Hazardous Material Table) and Sections 172.202 and 172.2				ing per Sec-	or damage in this shipment												
vides a registations, asso when sinpang hazardous materials, the shipper- libration is section (172,204(a) of the Federal Registations, as indicated on the ss a specific exception from the requirement is provided in the Regulation for a	Bill of Lading does apply, particular material.	Proper shipping name	e, nazardou	s class, UN identif	cation number, pac	king group,	United States	Code. Section										
HPPER I sorge = 1 Dalon	14706(c (1)(A) and (B).																	
R		PER																
This is to certify that the above names materials are proper marked, and labeled, and are in proper condition for transportant proper condition for transportant proper condition.	y classified, packaged,	Carrier acknowledg	es receipt	of packages and a	my required placa	rds. Carrier	certifies emergen	Cv response inform										
Department of Transportation	. In g to the	Carrier acknowledge tion was made ava or equivalent document	nentation in	or carrier has the the vehicle. Pro	U.S. Department perty described a	of Transport	tation emergency	response guidebor										
Recieced - Kobert Bell	1/02	- 6	2 ES	NI of N	1	J-12-	71											